

Increasing the Number of Thyroid Lesions Classes in Microarray Analysis Improves the Relevance of Diagnostic Markers

Jean-Fred Fontaine^{1,2,3}, Delphine Mirebeau-Prunier^{2,3,4}, Mahatsangy Raharijaona^{5,6}, Brigitte Franc⁷, Stephane Triau⁸, Patrice Rodien^{2,3,9}, Olivier Goëau-Brissonniére¹⁰, Lucie Karayan-Tapon¹¹, Marielle Mello¹², Rémi Houlgatte^{5,6}, Yves Malthiery^{2,3,4}, Frédérique Savagner^{2,3,4,5}*

1 Max Delbrück Center for Molecular Medicine, Berlin, Germany, 2 INSERM, UMR 694, Angers, France, 3 Université d'Angers, Angers, France, 4 CHU Angers, Laboratoire de Biochimie, Angers, France, 5 INSERM, UMR 915, l'institut du Thorax, Nantes, France, 6 Université de Nantes, Nantes, France, 7 Hôpital A Paré, Laboratoire d'Anatomie Pathologique, Boulogne, France, 8 CHU Angers, Laboratoire de Pathologie Cellulaire et Tissulaire, Angers, France, 9 CHU Angers, Département Endocrinologie-Diabétologie-Nutrition, Angers, France, 10 Hôpital A Paré, Service de Chirurgie vasculaire, Boulogne, France, 11 Université de Poitiers, EA 3805, Poitiers, France, 12 INSERM, UMR136, Marseille, France

Abstract

Background: Genetic markers for thyroid cancers identified by microarray analysis have offered limited predictive accuracy so far because of the few classes of thyroid lesions usually taken into account. To improve diagnostic relevance, we have simultaneously analyzed microarray data from six public datasets covering a total of 347 thyroid tissue samples representing 12 histological classes of follicular lesions and normal thyroid tissue. Our own dataset, containing about half the thyroid tissue samples, included all categories of thyroid lesions.

Methodology/Principal Findings: Classifier predictions were strongly affected by similarities between classes and by the number of classes in the training sets. In each dataset, sample prediction was improved by separating the samples into three groups according to class similarities. The cross-validation of differential genes revealed four clusters with functional enrichments. The analysis of six of these genes (APOD, APOE, CLGN, CRABP1, SDHA and TIMP1) in 49 new samples showed consistent gene and protein profiles with the class similarities observed. Focusing on four subclasses of follicular tumor, we explored the diagnostic potential of 12 selected markers (CASP10, CDH16, CLGN, CRABP1, HMGB2, ALPL2, ADAMTS2, CABIN1, ALDH1A3, USP13, NR2F2, KRTHB5) by real-time quantitative RT-PCR on 32 other new samples. The gene expression profiles of follicular tumors were examined with reference to the mutational status of the Pax8-PPARγ, TSHR, GNAS and NRAS genes.

Conclusion/Significance: We show that diagnostic tools defined on the basis of microarray data are more relevant when a large number of samples and tissue classes are used. Taking into account the relationships between the thyroid tumor pathologies, together with the main biological functions and pathways involved, improved the diagnostic accuracy of the samples. Our approach was particularly relevant for the classification of microfollicular adenomas.

Citation: Fontaine J-F, Mirebeau-Prunier D, Raharijaona M, Franc B, Triau S, et al. (2009) Increasing the Number of Thyroid Lesions Classes in Microarray Analysis Improves the Relevance of Diagnostic Markers. PLoS ONE 4(10): e7632. doi:10.1371/journal.pone.0007632

Editor: Simon Williams, Texas Tech University Health Sciences Center, United States of America

Received May 12, 2009; Accepted October 5, 2009; Published October 29, 2009

Copyright: © 2009 Fontaine et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Funding: This work was supported by grants from the French Ministry of Research, the Institut National de la Recherche Medicale (INSERM), the University Hospital of Angers and the University of Angers (PHRC 03-10). The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

1

Competing Interests: The authors have declared that no competing interests exist.

* E-mail: frederique.savagner@univ-angers.fr

Introduction

Over the past few years, the use of microarray technologies has contributed to the identification of new markers for the diagnosis and prognosis of human tumors. Cancer research usually involves the study of a single class of tumor and the corresponding normal tissue. Increasing the number of binary studies does not necessarily improve the relevance of the molecular signature. Thus, a meta-analysis comparing 40 types of cancer in various tissues relative to their normal counterpart allowed the identification of a common signature essential to carcinogenesis but may fail to distinguish

between different classes of tumor affecting a given organ, which may therefore have specific prognoses [1]. Moreover, the same signature may also appear in a variety of other cellular contexts such as inflammatory processes.

Thyroid nodules are extremely common in the adult population, but less than 20% of the nodules are malignant [2]. Papillary thyroid carcinoma (PTC), diagnosed on the basis of characteristic nuclear features, is the most frequent malignant thyroid tumor. According to the 2004 WHO report, the diagnosis of minimal invasive follicular thyroid carcinoma (FTC) is problematic because of its morphological and molecular similarities to benign follicular

thyroid adenoma (FTA) [3]. Moreover, atypical or oncocytic features render the differential diagnosis of follicular tumors difficult on histologic examination and call for new molecular or biological markers [4,5]. To date, microarray analyses of thyroid tumors have essentially compared two classes of tissue [6-11]. These studies have either searched for specific markers by comparing a particular class of thyroid tumor to the corresponding normal tissue, or looked for markers of malignancy by examining the most frequent benign and malignant classes of thyroid tumor (usually the FTA and PTC classes). The predictive accuracy of the markers identified is therefore rather limited with regard to tumors belonging to other classes. For example, the CITED1 gene, which was claimed to be a significant marker distinguishing PTC from normal tissue [9] turned out to be less specific when data from FTC samples were included [8]. Furthermore, this gene did not even figure among the 42 best PTC marker genes detected by a meta-analysis that included benign tumors [12]. Meta-analyses may increase not only the number of classes required to define more relevant markers but also increase the imbalance in the representation of some classes. In a recent analysis, cross-validated marker genes from 21 studies differentiated benign from malignant thyroid tissues [13]. However, the majority of these were pertinent to the diagnosis of PTC since these thyroid cancers accounted for more than 40% of the samples studied. This highlights the bias due to the recruitment of thyroid samples for microarray studies and the consequent failure in identifying classifiers for clinical applications despite the large number of analyses exploited.

Few studies have simultaneously compared more than four types of thyroid tissue [5,14–17]. In one of these [15], we were able to refine the diagnosis of tumors of uncertain malignancy by the simultaneous analysis of eight types of thyroid tissue. These promising results encouraged further research on relevant markers of thyroid tumors, taking into account more classes and subclasses of interest, as some authors have recommended [18]. In the

present study, we have explored gene-expression signatures from the majority of the differentiated follicular pathologies of thyroid tissue. We have used published data or data available from the Gene Expression Omnibus (GEO) of the U. S. National Center for Biotechnology Information, as well as specifically generated data, to simultaneously analyze several datasets containing information on various pathologies, including datasets with many histological subclasses. Our analysis, covering the major subtypes of thyroid tissue, may be expected to enhance microarray data concerning thyroid tumors and lead to the definition of more reliable tissue-specific markers for thyroid lesions.

Results

We have simultaneously analyzed 347 thyroid tissue samples from six datasets (Table 1). The Fontaine dataset, generated by our own laboratory [15], comprised 166 thyroid tissue samples, i.e. about half the total number of samples.

Molecular classification of thyroid pathologies

To analyze the global classification of the follicular thyroid lesions in the Fontaine dataset, we defined the centroid of each class of tissue by a composite signature of mean gene-expression levels. The hierarchical clustering of the class centroids (Figure 1A) revealed three groups. The first group comprised benign thyroid lesions and normal tissues (green boxes for FTA, MNG, WT, AT, and GD); the second contained malignant lesions (red boxes for FTC, TUM and PTC); and the third included oncocytic tumors and microfollicular adenomas (blue boxes for FTAb, OTUM, OTA and OTC). These groups, supported by a high robustness index of 0.938 and a discrepancy index of 0.337, are respectively referred to as the 'benign', 'malignant' and 'oncocytic' groups. The three groups, cross-validated in the Giordano dataset (Figure 1C), presented almost perfect robustness (= 1) and discrepancy indices

Table 1. Datasets, classes and samples.

Datasets		Fontaine et al. 2008	Giordano et al.2006	Weber et al.2005	Jarzab et al. 2005	He et al. 2005	Reyes et al. 2006
Microarray platform		Single channel cDNA microarrays	Affymetrix GeneChip HG U133A	Affymetrix GeneChip HG U133A	Affymetrix GeneChip HG U133A	Affymetrix GeneChip HG U133 Plus 2.0	Affymetrix GeneChip HG U133 Plus 2.0
(Probes)		(9,216)	(22,283)	(22,283)	(22,283)	(54,681)	(54,681)
Tissue samples	Symbol	166	93	24	32	18	14
Wild Type tissue	WT	24	4	-	16	9	7
Autoimmune Thyroiditis	AT	5	-	-	-	-	-
Grave's Disease	GD	5	-	-	-	-	-
Follicular Thyroid Adenoma	FTA	26	10	12	-	-	-
Microfollicular Thyroid Adenoma	FTAb	17	-	-	-	-	-
Multi Nodular Goitre	MNG	24	-	-	-	-	-
Follicular Thyroid Carcinoma	FTC	3	-	6	-	-	-
FTC with PAX8/PPARγ fusion	FTC+	-	7	-	-	-	-
FTC without PAX8/PPARγ fusion	FTC-	-	6	-	-	-	-
Oncocytic Thyroid Adenoma	OTA	30	7	-	-	-	-
Oncocytic Thyroid Carcinoma	OTC	4	8	6	-	-	-
Oncocytic Tumour of Uncertain	OTUM	5	-	-	-	-	-
Malignancy							
Papillary Thyroid Carcinoma	PTC	13	51	-	16	9	7
Tumour of Uncertain Malignancy	TUM	10	-		-		

doi:10.1371/journal.pone.0007632.t001



A clustering of the Fontaine dataset **B** pairwise correlation coefficients Tree cut in 3 groups: -0.2 robustness=0.938 0 discrepancy=0.337 OTC correlation 0.2 OTA 0.4 **OTUM** 0.6 FTA.b 0.8 PTC TUM PTC FTC FTC GD AT C clustering of the Giordano dataset WT Tree cut in 3 groups: -0.2 MNG robustness=1 0 discrepancy=0.001 FTA 0.2 correlation TOM FTA.b MUTC GD 0.4 0.6 0.8 correlation color scale PTC FTC-OTA OTC Ž FTA

Figure 1. Molecular classification of thyroid tissues. The centroid signatures of the thyroid tissues were compared to each other in the Fontaine dataset generated by our laboratory [15], and compared to the Giordano dataset [5]. Centroids were defined as the mean gene-expression signature of each tissue class over all the genes. Panel A shows the hierarchical clustering of the tissues in the Fontaine dataset. The dendrogram can be cut into three robust branches (black circles) defining three groups of classes. The groups contain benign lesions and normal tissue (green boxes), malignant tumors (red boxes), or oncocytic tumors and microfollicular adenomas (blue boxes). Panel B shows pairwise correlation coefficients between the tissue classes from the Fontaine dataset. The heatmap represents a symmetrical matrix of color-coded correlation coefficients. Tissue classes are ordered as in the hierarchical clustering and marked with the same three colors (green, red and blue). Panel C shows the hierarchical clustering of the tissues in the Giordano dataset. The dendrogram can be cut into three robust branches (black circles) defining three groups of classes. The groups contain heterogeneous lesions and normal tissue (green boxes), malignant tumors (red boxes), or oncocytic tumors (blue boxes). The two datasets show three groups containing similar tissue classes. WT: wild type tissue; PTC: papillary thyroid carcinoma; FTA: macrofollicular thyroid adenoma; FTAb: microfollicular thyroid adenoma; GMN, multinodular goiter; FTC: follicular thyroid carcinoma (FTC+: with Pax8/PPARγ translocation); OTA: oncocytic thyroid adenoma; OTC: oncocytic thyroid carcinoma; TUM: tumor of uncertain malignancy; OTUM: oncocytic tumor of uncertain malignancy; GD: Grave's disease; and AT: autoimmune thyroïditis.

(=0.001). This dataset showed a highly correlated oncocytic group (OTA, OTC, correlation >0.6) and a group of malignant tumors (PTC, FTC+). The third group, predominantly composed of benign tumors and normal tissues (WT, FTA), also included the FTC- group.

We computed the prediction accuracy for the benign, malignant and oncocytic groups of thyroid tissue classes as defined above. The signature of each group was trained *versus* all the other samples, and its accuracy was compared with the predictive accuracy of individual lesions (Table 2). In both datasets, the positive accuracy for each group was greater than the best accuracy reported for an individual lesion within the group. The high proportion of PTC (79%) in the malignant group from the Giordano dataset may explain the good accuracy for this group despite the rate of discrepancy shown in the Figure 1C. The separation of the samples into three groups on the basis of class similarities led to improved sample prediction in the two datasets.

The matrix of 66 pairwise correlation coefficients between the classes (Figure 1B) allowed a detailed observation of the similarities

and dissimilarities in the Fontaine dataset. All the classes in the benign/normal group were positively correlated with each other. Some pairs of classes were highly correlated (correlation coefficient >0.4), e.g. FTA with MNG, and AT with GD. All the classes in

Table 2. Prediction of samples by considering three groups of tissue classes. Values can be compared to the range of accuracies for individual lesions that composed each group.

	Fontaine	dataset	Giordano dataset		
	Group	Individual lesions	Group	Individual lesions	
Benign group	0,79	0.11-0.71	0,76	0.31-0.47	
Malignant group	0,69	0.24-0.67	0,93	0.93-0.94	
Oncocytic group	0,75	0.02-0.64	0,86	0.52-0.62	

doi:10.1371/journal.pone.0007632.t002

the malignant group were positively correlated with each other. The TUM class had a stronger correlation with PTC than with FTC (respectively 0.354 and 0.274). This similarity between TUM and PTC has previously been demonstrated within this dataset and with independent samples [15]. In the oncocytic group, the classes of oncocytic tumors were positively correlated with each other, except for the FTAb class. Finally, we were able to identify 220 non-redundant genes for the molecular classification of each of the 11 subcategories of follicular thyroid pathologies explored (Table 3).

Class prediction from binary and from complete training

We compared classifiers defined from many classes, i.e. the entire dataset (complete training), and two classes, i.e. one pathological class *versus* normal thyroid tissue (binary training). The predictive accuracy for the samples of a class, i.e. the positive accuracy, was always higher after binary training than after complete training in the two main datasets (Figure 2A). With regard to complete training, only two classes in each dataset had similar performances: PTC and AT in the Fontaine dataset, FTC+ and PTC in the Giordano dataset.

The classifiers defined by complete training in the Fontaine dataset were evaluated in five other thyroid datasets (Table 4). With respect to the positive accuracy computed from intra-dataset cross-validations, the PTC, FTC, FTA and OTC classifiers turned out to be more accurate than expected. The OTA classifier was less accurate than expected, with a value of 0.59 *versus* 0.64, but only one other dataset contained this class of thyroid tissue.

Functional analysis of cross-validated differential genes

In the two largest datasets containing the main kinds of thyroid lesions [5,15], we searched for cross-validated differential genes. The two lists of differential genes had an intersection of 104 genes that separated five gene clusters from the hierarchical clustering of classes shared by the two datasets (Figure 3 and Table 5). The functions and pathways identified were mainly related to oncocytic and papillary tumors (Clusters 1, 3 and 4). Gene ontologies were associated with oxido-reductive mechanisms (Cluster 1, 28 genes), nitrogen metabolism and cell communication (Cluster 3, 17 genes), glucocorticoid receptor signaling and leukocyte extravasation (Cluster 4, 24 genes). A cluster of genes showed a specific profile for tumors of malignant potential, for which the transcriptional factors involved in the primary anabolic and catabolic cell pathways were down-regulated (Cluster 2, 25 genes). However in Cluster 2, the heterogeneous profiles of some classes (FTA) were suspected of containing molecular subgroups whereas the profiles for WT were almost homogeneous. A cluster of 10 genes (Cluster 5) was not clearly specific to the tissue classes as their profiles differed between the two datasets. In the Fontaine dataset, 52% of the cross-validated genes belonged to at least two of the 11 classes of lesion (data not shown).

Independent validation of selected genes by real-time RT-PCR

To test the relevance of some markers selected by cross-validation between the two main datasets, we measured the expression levels of six differential genes, CASP10, CDH16, CLGN, CRABP1, HMGB2 and ALPL2, on 32 new follicular tumor samples, including eight samples each of FTA, FTAb, OTA and FTC (Figure 4A). For all six genes, the expression levels differentiated between follicular adenomas (macro- and micro-follicular) and follicular carcinomas (t-test, p<0.05). In all cases except one (CASP10, F-test, p<0.05), the gene expression level

differentiated not only between macro- and micro-follicular adenomas but also between follicular adenomas and oncocytic adenomas, as in the case of CDH16 and CRABP1 genes.

To test the relevance of our microarray analysis in identifying subclasses of adenomas, we measured the expression levels of six differential genes from the microfollicular adenoma subclass (ADAMTS2, CABIN1, ALDH13, USP13, NR2F2 and KRTHB5), on the same 32 follicular thyroid samples mentioned above (Figure 4B). Except for NR2F2 (p<0.954), all genes were differentially expressed not only between the three subclasses of adenomas (t-test, p<0.05), but also between the four groups of follicular tumors (F-tests, p<0.05 for ADAMTS2, CABIN1, ALDH13, USP13; p=0.06 for KRTHB5).

Mutational status of follicular tumors

The mutational status of three genes (TSHR, GNAS and NRAS) was investigated on 59 solitary follicular adenomas (43 from the microarray study, and 16 from the RT-PCR study) to compare these to the expression profile of FTA samples and evaluate their functional status. To identify the role of the PAX8-PPARG translocation in the expression profile of the FTC class, the rearrangement status for PAX8-PPARG was explored on 11 FTC samples (three samples from the microarray study, and eight samples from the RT-PCR study).

In the follicular adenoma samples, we identified mutations in the TSHR gene in seven of the 59 samples (12%): six of which were macrofollicular adenomas from the microarray study and one was a macrofollicular adenoma from the RT-PCR study. All the mutations were situated in the seventh transmembrane domain of the TSH receptor (from codon 619 to codon 633). Our results are in accordance with the mutational status of the TSH receptor gene described in the literature, especially concerning the macrofollicular subtype [19]. One macrofollicular adenoma presented a mutation in codon 201 of the GNAS gene. None of the microfollicular adenomas showed TSHR and GNAS mutations in the four exons explored. Five microfollicular adenomas (four from the microarray study, and one from the RT-PCR study) were positive for the NRAS mutation in codon 61.

No PAX8-PPARG translocation was found in any of the FTC samples studied.

Protein expression of selected differential genes in independent samples

We collected 49 new tissue samples to measure the protein expression of six selected differential genes in the classes common to the two main datasets (FTA, FTC, OTA, OTC, PTC and WT), and also for the AT class as a non-tumoral control (Figure 5). There was significant differential expression between the classes (F-tests, p<0.05) for five proteins (SDHA, CLGN, APOD, CRABP1 and TIMP1). The APOE protein was not differentially expressed (p<0.932). Among the differentially expressed proteins, three had profiles similar to their gene profiles (SDHA, APOD and TIMP1), whereas two proteins (CLGN and CRABP1) showed some differences, as reported in previous studies of selected classes [20,21]. The expression of the CLGN protein was higher in the FTA and FTC samples, but not in the oncocytic samples, contrary to the gene profile observed. The CRABP1 protein was differentially expressed between the FTA samples compared to the PTC and FTC samples, with a decreased expression of both RNA and protein in the malignant tumors. Considering the appurtenance of this gene to Cluster 2 (Figure 3), the expression of CRABP1 protein could serve to distinguish between the benign and malignant groups of thyroid tissue.

Table 3. Classifier genes from the Fontaine dataset (n = 220 genes).

SEP-05 448163 AT 100 1,006-07 7,03 AAAS 740617 AT 97 3,050-07 3,36 ABCA3 52740 AT 97 4,996-01 0,68 ABCA8 28428 AT 97 2,666-01 -1,33 ABCB 238705 AT 97 3,516-01 -0,94 ABCC3 288097 AT 96 1,368-01 1,43 ABCC3 288097 AT 96 1,006-07 0,91 BAT 1929371 AT 83 1,006-07 0,92 BAT 1929371 AT 83 1,006-07 0,92 CABOTT 43629 AT 40 1,006-07 10,85 CBFAZT2 43629 AT 29 1,006-07 10,18 CD79A 1056792 AT 29 1,006-07 10,18 CD79A 1056792 AT 14 1,006-07 1,11 CD79A	Symbol	Clone ID	Class	Cross validation support (%)	Parametric p-value	t-value	Fold- change
SEP-05 448163 AT 100 1,00E 07 7,03 AAAS 740617 AT 99 3,00E 07 5,36 ABCAS 25240 AT 97 1,86E 01 0,68 ABCAS 25240 AT 97 1,86E 01 0,68 ABCAS 25408 AT 97 2,26E 01 -1,33 ABCB1 183748 AT 97 2,26E 01 -1,22 ABCB1 183748 AT 97 3,31E-01 -0,94 ABCB2 268097 AT 96 1,54E-01 1,43 ABCB2 1080914 AT 96 1,54E-01 1,43 ABCC2 1080914 AT 96 1,00E 07 1,03E ABCT2 1080914 AT 96 1,00E 07 1,03E ABCT3 242649 AT 62 1,00E 07 1,03E CEFAZT2 43629 AT 39 1,00E 07 10,18 CBFAZT2 43629 AT 29 1,00E 07 10,18 CD38 1352408 AT 29 1,00E 07 10,18 CD38 1352408 AT 29 1,00E 07 11,14 CD79A 1056782 AT 25 1,00E 07 11,14 CD79A 1056782 AT 12 5 1,00E 07 11,14 CD79B 155717 AT 14 1,00E 07 11,14 CD79B 155717 AT 14 1,00E 07 11,19 CNCL6 2108870 AT 14 1,00E 07 10,13 FPPBB 686454 AT 7 1,00E 07 10,18 CNCL6 2108870 AT 14 1,00E 07 10,13 FPPBB 686454 AT 7 1,00E 07 5,27 CNCL7 7,79555 FTA 65 6,00E 07 5,27 CNCR2 7,45003 FTA 18 9 8,00E 07 5,27 CNCR2 7,45003 FTA 19 8,00E 07 5,51 TRICTIOT 7,7955 FTA 62 4,00E 07 5,51 CARDITION 1,12E 05 4,53 ECLILI 3,00194 FTA 22 6,00E 06 4,68 CLILI 3,00194 FTA 22 6,00E 06 4,68 CLILI 3,00194 FTA 25 1,20E 06 4,67 CABNIN 1,12E 05 4,53 ECLILI 3,00194 FTA 25 1,20E 06 4,68 CLILI 3,00194 FTA 26 1,20E 06 4,68 C	ABCB9	36371	AT	100	1,00E-07	6,81	3,28
AAAS 740617 AT 99 3,00E-07 5,36 ABCAB 52740 AT 97 4,99E-01 0,68 ABCAB 284628 AT 97 1,96E-01 -1,33 ABCB1 1837488 AT 97 2,26E-01 -1,22 ABCB8 218705 AT 97 3,51E-01 -0,94 ABCCB 218705 AT 97 3,51E-01 -0,94 ABCCB 1,54E-01 1,43 ABCCB 1,00E-07 6,91 BATF 1929371 AT 83 1,00E-07 6,91 BATF 1929371 AT 83 1,00E-07 10,52 CLIGHOTS 43629 AT 99 1,00E-07 10,85 CERPAT2 43629 AT 39 1,00E-07 10,18 CCBPAT2 43629 AT 39 1,00E-07 10,18 CCD79 155740 AT 25 1,00E-07 10,18 CCD79 155740 AT 25 1,00E-07 10,18 CCD79 155747 AT 25 1,00E-07 11,14 CCD79 155747 AT 25 1,00E-07 11,14 CCD79 155747 AT 25 1,00E-07 11,14 CCD79 155740 AT 14 1,00E-07 10,13 EPPB9 68454 AT 7 1,00E-07 10,13 EPPB9 68454 AT 7 1,00E-07 10,13 EPPB9 68454 AT 7 1,00E-07 10,13 EPPB9 68545 AT 3 1,00E-07 5,27 EPRON 15460 FTA 65 6,00E-07 5,27 EPRON 21020 AT 34 1,00E-07 5,27 EPRON 2210 AT 39 1,00E-07 5,27 EPRON 2540 AT 3 1,00E-07 10,13 EPPB9 68545 AT 3 1,00E-07 5,21 EPRON 2540 AT 3 1,0E-07 5,2E EPRON 2540	SEP-02	729542	AT	100	2,67E-01	-1,11	0,75
ABCAB	SEP-05	448163	AT	100	1,00E-07	7,03	4,96
ABCAB	AAAS	740617	AT	99	3,00E-07	5,36	3,34
ABCBI 1837488 AT 97 2,26E-01 -1,22 ABCB 238705 AT 97 3,51E-01 -0,94 ABCB 238705 AT 96 1,54E-01 1,83 ABCC2 1086914 AT 96 1,00E-07 6,91 BATF 1929371 AT 83 1,00E-07 9,87 CLORIST 742649 AT 62 1,00E-07 9,87 CARDII 66561 AT 46 1,00E-07 10,85 CBFATZ 436,9 AT 29 1,00E-07 10,18 CBFATZ 436,9 AT 29 1,00E-07 10,18 CBFATZ 456,9 AT 29 1,00E-07 10,18 CD79A 1056782 AT 25 1,00E-07 11,14 CD79B 155717 AT 25 1,00E-07 11,14 CD79B 155717 AT 25 1,00E-07 11,14 CD79B 66844 AT 7 7 1,00E-07 10,18 CPPBB 668454 AT 7 7 1,00E-07 9,67 DKCZp67B0210 184689 AT 3 1,00E-07 10,18 CPPBB 668406 AT 3 1,00E-07 11,114 CD79B 670CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	ABCA3	52740	AT	97	4,99E-01	0,68	1,13
ABCCB8 23870S AT 97 3,51E-01 -0,94 ABCC3 208097 AT 96 1,54E-01 1,43 ABCC2 1080914 AT 96 1,00E-07 6,91 ABATF 1929371 AT 83 1,00E-07 10,52 C180r151 742649 AT 62 1,00E-07 10,85 C180r151 742649 AT 62 1,00E-07 10,85 CBFA3TZ 48629 AT 39 1,00E-07 10,18 CBFA3TZ 48629 AT 29 1,00E-07 10,18 CD38 1352408 AT 29 1,00E-07 10,18 CD79A 1056782 AT 25 1,00E-07 11,14 CD79B 155717 AT 25 1,00E-07 11,191 CXCL6 2108870 AT 14 1,00E-07 10,13 CPPB9 668454 AT 7 7 1,00E-07 9,67 CXCL6 2108870 AT 3 1,00E-07 10,13 CPPB9 668454 AT 7 7 1,00E-07 9,67 CXCL6 2108870 AT 3 1,00E-07 9,67 CXCL6 2108870 AT 5 1,00E-07 9,67 CXCL6 2108870 AT 65 6,00E-07 5,21 CXCL6 2108870 AT 65 6,00E-07 5,21 CXCL6 2108870 AT 7 1,00E-07 9,67 CXCL6 2108870 AT 8 1,00E-07 9,67 CXCL	ABCA8	284828	AT	97	1,86E-01	-1,33	0,74
ABCC3 20897 AT 96 1,54E-01 1,43 ABCF2 1086914 AT 96 1,00E-07 6.91 ABCF2 1086914 AT 83 1,00E-07 10,52 C186rf51 742649 AT 62 1,00E-07 9,87 CARBIT 1929371 AT 83 1,00E-07 10,85 CARBIT 665551 AT 46 1,00E-07 10,85 CARBIT 665551 AT 39 1,00E-07 10,18 CCBPAT2 43629 AT 39 1,00E-07 10,18 CCD38 1352408 AT 29 1,00E-07 10,18 CCD38 1352408 AT 29 1,00E-07 11,14 CCD79A 1056782 AT 25 1,00E-07 11,14 CCD79B 155717 AT 25 1,00E-07 11,19 CCCL6 2108870 AT 14 1,00E-07 10,13 EPEB9 668454 AT 7 7 1,00E-07 10,13 EPEB9 668454 AT 7 7 1,00E-07 9,30 EPEXRED 1420676 FTA 65 6,00E-07 5,21 EDCID17 739955 FTA 62 4,00E-07 5,21 EDCID17 739955 FTA 62 4,00E-07 5,15 EDCID17 739958 FTA 59 8,00E-07 5,15 EDCID18 25883 FTA 48 1,25E-05 4,51 ECL2L1 300194 FTA 42 6,00E-06 4,68 ECL2L1 300194 FTA 42 6,00E-06 4,68 ECL2L1 300194 FTA 40 1,12E-05 4,53 ELL14981 24532 FTA 40 1,12E-05 4,53 ELL14981 24532 FTA 31 1,84E-04 3,88 ELL14981 376003 FTA 25 2,86E-02 2,25 EMAGES-145466 FTA 25 3,37E-05 4,21 ESPSNN1 376003 FTA 25 3,36E-05 4,21 ESPSNN1 376004 FTA 25 3,36E-05 4,21 ESPSNN1 376004 FTA 25 3,36E-05 4,21 ESPSNN1 376004 FT	ABCB1	1837488	AT	97	2,26E-01	-1,22	0,72
ABCF2 1086914 AT 96 1,00E-07 6,91 BATF 1929371 AT 83 1,00E-07 10,52 CLORAF51 742649 AT 62 1,00E-07 9,87 CARROTI 665651 AT 46 1,00E-07 10,85 CBFA3T2 43629 AT 39 1,00E-07 10,18 CD38 1352408 AT 29 1,00E-07 10,18 CD59A 1056782 AT 25 1,00E-07 11,14 CD79B 155717 AT 25 1,00E-07 11,19 CXCL6 2168870 AT 14 1,00E-07 11,91 CXCL6 2168870 AT 14 1,00E-07 11,191 CXCL6 2168870 AT 14 1,00E-07 10,18 CPPPB9 668454 AT 7 1,00E-07 10,13 CPPPB9 668454 AT 7 1,00E-07 10,13 CPPRD9 144689 AT 3 1,00E-07 9,30 CPLXNB2 1420676 FTA 65 60,00E-07 5,21 CREADT17 739955 FTA 62 4,00E-07 5,27 CXNR76 745003 FTA 59 8,00E-07 5,15 KIAA1196 738938 FTA 48 1,25E-05 4,51 CBCL211 300194 FTA 42 6,00E-07 4,88 CDAP 725371 FTA 41 6,00E-06 4,68 CDAP 725371 FTA 41 6,00E-06 4,68 CDAP 725371 FTA 41 6,00E-06 4,88 CDAP 725371 FTA 41 6,00E-06 4,88 CDAP 725371 FTA 41 6,00E-06 4,88 CDAP 725371 FTA 42 6,00E-06 4,88 CDAP 725371 FTA 41 6,00E-06 4,88 CDAP 725371 FTA 42 6,00E-06 4,88 CDAP 725371 FTA 42 6,00E-06 4,88 CDAP 725371 FTA 41 6,00E-06 5,01 CABINI 1844908 FTA 40 1,12E-05 4,51 CABINI 2844908 FTA 40 1,12E-05 4,53 RADSILLI 295412 FTA 30 4,23E-05 4,21 CSPANNI 376003 FTA 25 2,38E-02 2,25 CPLCG1 1174287 FTA 25 8,36E-05 -404 COL 18A1 39902 FTA 25 3,35E-05 4,21 CSPANNI 376003 FTA 25 3,35E-05 4,21 CSPANNI 376003 FTA 26 3,35E-05 4,21 CSPANNI 376003 FTA 26 3,35E-05 4,21 CSPANNI 376003 FTA 26 3,35E-05 4,21 CSPANNI 376003 FTA 27 3,35E-05 4,21 CSPANNI 376003 FTA 26 3,35E-05 4,21 CSPANNI 376003 FTA 26 3,35E-05 4,21 CSPANNI 376003 FTA 27 4 4,00E-06 7,00E-07 6,00E-07 COL 18A1 39902 FTA 11 13 8,11E-04 3,41 COL 18A1 39902 FTA 11 13 8,11E-04 3,41 COL 18A1 487475 FTA 16 6 4,52E-04 -3,58 COL 18A1 487475 FTA 16 6 4,52E-04 -3,58 COL 18A1 487475 FTA 66 4 1,0E-05 -4,51 COL	ABCB8	238705	AT	97	3,51E-01	-0,94	0,84
BATF 1929371 AT 83 1,00E-07 10,52 C1Borf51 742649 AT 62 1,00E-07 9,87 CARD11 665651 AT 46 1,00E-07 10,85 CBFA2T2 45629 AT 39 1,00E-07 10,18 CD38 1352408 AT 29 1,00E-07 10,18 CD79A 1056782 AT 25 1,00E-07 11,14 CD79B 155717 AT 25 1,00E-07 11,191 CXCL6 2108870 AT 14 1,00E-07 10,13 EPB9 688454 AT 7 10,0E-07 10,13 EPB9 688454 AT 7 1,00E-07 10,13 EPB9 688454 AT 7 1,00E-07 9,30 EPLXNB2 1426676 FTA 65 6,00E-07 5,21 EBC1017 739955 FTA 62 4,00E-07 5,27 ZWF76 745003 FTA 59 8,00E-07 5,15 KKALA1196 738938 FTA 48 1,25E-05 4,51 EKL2L11 300194 FTA 41 6,00E-06 4,68 EKL2L11 300194 FTA 41 6,00E-06 4,67 CABIN1 1844968 FTA 40 1,12E-05 4,53 ELIL14081 24532 FTA 31 1,84E-04 3,83 EAGAIN1 28486 FTA 25 2,58E-02 2,25 ELICG 1172227 FTA 25 2,58E-02 2,25 ELICG 11742287 FTA 25 2,58E-02 2,25 ELICG 11742287 FTA 25 2,58E-02 2,25 ELICG 11742287 FTA 25 3,37E-05 4,25 ELIL14081 359002 FTA 26 3,52E-05 4,25 ELIL161 300194 FTA 26 3,52E-05 4,25 ELIL161 376003 FTA 26 3,52E-05 4,25 ELIL1610 5,0E-	ABCC3	208097	AT	96	1,54E-01	1,43	1,64
C18orf51 742649 AT 62 1,00E-07 9,87 CARD11 656551 AT 46 1,00E-07 10,85 CRAD12 43629 AT 39 1,00E-07 10,18 CD38 1352408 AT 29 1,00E-07 10,18 CD39 1352408 AT 29 1,00E-07 11,14 CD79A 1056782 AT 25 1,00E-07 11,14 CD79B 155717 AT 25 1,00E-07 11,19 CCXCL6 2108870 AT 14 1,00E-07 10,13 EPPB9 668454 AT 7 1,00E-07 9,67 DKT2p66780210 1844669 AT 3 1,00E-07 9,67 DKT2p66780210 1844669 AT 3 1,00E-07 9,30 DKT2p6780210 1844669 AT 3 1,00E-07 5,21 TBC1D17 739955 FTA 65 6,00E-07 5,21 TBC1D17 739955 FTA 62 4,00E-07 5,27 ZMF76 745003 FTA 52 1,40E-06 5,01 ASAGRI 25883 FTA 52 1,40E-06 5,01 ASAGRI 25883 FTA 52 1,40E-06 5,01 ASAGRI 25883 FTA 42 6,00E-06 4,68 BCL2L11 300194 FTA 42 6,00E-06 4,68 BCL2L11 300194 FTA 41 6,20E-06 4,68 BCL2L11 300194 FTA 40 1,12E-05 4,53 RL-L14081 2852 FTA 31 1,84E-04 3,83 RAD51L1 295412 FTA 30 4,23E-05 4,21 TSPAN1 37603 FTA 26 3,52E-05 4,25 MANGE73465 FTA 25 2,58E-02 2,25 PLCGI 1174287 FTA 25 8,36E-05 -4,04 COL18A1 39502 FTA 26 3,0E-05 4,2E MAGE744665 FTA 13 8,1E-04 3,37 KIF1 260991 FTA 13 8,1E-04 3,37 KIF1 260991 FTA 13 8,1E-04 3,37 KIF1 260991 FTA 14 100E-02 -2,2E DDA 24952 FTA 11 1,00E-02 -2,2E DDA 24952 FTA 11 1,00E-02 -2,2E DDA 3,7E-05 4,2E MAGE744665 FTA 6 6 4,52E-04 -3,58 KIF1BS 36469 FTA 6 6 4,52E-04 -3,58 KIF1BS 36469 FTA 86 11,00E-07 6,02 MAGE74065 FTA 6 6 4,52E-04 -3,58 KIF1BS 36464 FTA 6 6 4 4,52E-04 -3,58 KIF1BS 36464 FTA 6 6 6 1,00E-07 6,02 CMC 36464 FTA 6 6 6 1,00E-07 6,02 C	ABCF2	1086914	AT	96	1,00E-07	6,91	3,37
CARDI1 665651 AT 46 1,00E-07 10,85 CBFAZT2 43629 AT 39 1,00E-07 10,18 CD38 1352408 AT 29 1,00E-07 11,18 CD79A 1056782 AT 25 1,00E-07 11,14 CD79B 155717 AT 25 1,00E-07 11,19 CXCL6 2108870 AT 14 1,00E-07 10,13 EPPB9 668454 AT 7 1,00E-07 1,00E-07 DKFZp66780210 1844689 AT 3 1,00E-07 9,87 DKFZp66780210 1844689 AT 3 1,00E-07 9,30 PLXNB2 1420676 FTA 65 6,00E-07 5,21 TBC1D17 739955 FTA 62 4,00E-07 5,17 SKRAA119G 738938 FTA 52 1,40E-06 5,01 ASGRI 25883 FTA 48 1,25E-05 4,51 BCL2L11 300194 FTA 42 6,00E-06 4,68 DAP 725371 FTA 41 6,00E-06 4,68 DAP 725371 FTA 41 6,00E-06 4,68 DAP 725371 FTA 31 1,48E-04 3,83 RADSIL1 29542 FTA 31 1,48E-04 3,83 RADSIL1 29542 FTA 30 4,22E-05 4,21 TSPANI 376003 FTA 25 2,36E-02 2,25 IMAGE-745465 745465 FTA 25 3,35E-05 4,25 IMAGE-745465 745465 FTA 25 3,35E-05 4,25 IMAGE-745465 745465 FTA 25 3,35E-05 4,25 IMAGE-745465 745465 FTA 25 3,35E-05 4,26 RADSIL1 200991 FTA 25 3,35E-05 4,26 RPS6KA2 22711 FTA 25 3,37E-05 4,28 RPS6KA2 22711 FTA 16 3,01E-04 3,37 RLIF 1 200991 FTA 16 4 3,01E-04 3,37 RLIF 1 200991 FTA 16 4 3,01E-04 3,37 RLIF 1 200991 FTA 16 3,01E-04 3,37 RLIF 1 200991 FTA 17 1 1,00E-02 -2,61 IMAGE-24065 PTAb 86 1,00E-07 5,28 RCHIHBS 364569 FTAb 86 1,00E-07 5,58 DCL 667892 FTAb 74 66 1,00E-07 5,58 DCL 667892 FTAb 68 1,00E-07 5,19 IFIDO 740931 FTAb 68 1,00E-07 5,59 DCL 667892 FTAb 74 66 1,00E-07 5,58 DCL 667892 FTAb 74 66 1,12E-04 3,966 DCL 667892 FTAb 74 66 1,12E-04 3,966	BATF	1929371	AT	83	1,00E-07	10,52	6,03
CBFA2T2 43629 AT 39 1,00E-07 10,18 CD38 1352408 AT 29 1,00E-07 10,18 CD79A 1056782 AT 25 1,00E-07 11,14 CD79B 155717 AT 25 1,00E-07 11,91 CXCL6 2108870 AT 14 1,00E-07 9,67 DKF266780210 1844689 AT 3 1,00E-07 9,67 DKF266780210 1844689 AT 3 1,00E-07 9,67 DKF266780210 1844689 AT 3 1,00E-07 9,67 DKF266780210 1844689 AT 4 6 6,00E-07 5,21 TBC1D17 739955 FTA 65 6,00E-07 5,15 KKAA1196 738938 FTA 59 8,00E-07 5,15 KKAA1196 738938 FTA 48 1,25E-05 4,51 BCL2L11 300194 FTA 42 6,00E-06	C18orf51	742649	AT	62	1,00E-07	9,87	7,47
CD38	CARD11	665651	AT	46	1,00E-07	10,85	4,72
CD79A 1056782 AT 25 1,00E-07 11,14 CD79B 155717 AT 25 1,00E-07 11,91 CXCL6 2108870 AT 14 1,00E-07 10,13 EPPB9 668454 AT 7 1,00E-07 9,67 DKEZp66780210 1844689 AT 3 1,00E-07 9,30 PLXNB2 1420676 FTA 65 6,00E-07 5,21 TBC1D17 739955 FTA 62 4,00E-07 5,27 XIF76 745003 FTA 59 8,00E-07 5,15 KIKA1196 738938 FTA 48 1,2SE-05 4,51 BCL2L11 300194 FTA 42 6,00E-06 4,68 BCL2L11 300194 FTA 41 6,20E-06 4,68 CABINI 1844968 FTA 40 1,12E-05 4,53 FL14981 24532 FTA 41 6,00E-06 4,68	CBFA2T2	43629	AT	39	1,00E-07	10,18	10,03
CD79B 155717 AT 25 1,00E-07 11,91 CXCL6 2108870 AT 14 1,00E-07 10,13 EPPB9 66844 AT 7 1,00E-07 9,67 DKEZp66780210 1844689 AT 3 1,00E-07 9,30 PLNB2 1420676 FTA 65 6,00E-07 5,21 TBC1D17 739955 FTA 62 4,00E-07 5,27 ZMF76 745003 FTA 59 8,00E-07 5,15 MIA1196 738938 FTA 52 1,40E-06 5,01 ASGR1 25883 FTA 48 1,25E-05 4,51 ASGR1 25883 FTA 42 6,00E-06 4,68 DAP 725371 FTA 41 6,00E-06 4,67 CABIN1 1844968 FTA 41 6,00E-06 4,67 SED114981 24532 FTA 40 1,12E-05 4,24 <	CD38	1352408	AT	29	1,00E-07	10,18	7,22
CXCL6 2108870 AT 14 1,00E-07 10,13 EPPB9 668454 AT 7 1,00E-07 9,67 DKF2p66780210 1844689 AT 3 1,00E-07 9,30 DKF2p66780210 1844689 AT 3 1,00E-07 9,30 DKNB2 1420676 FTA 65 6,00E-07 5,21 TBCLD17 739955 FTA 62 4,00E-07 5,27 ZNF76 745003 FTA 59 8,00E-07 5,15 KIAA1196 738938 FTA 48 1,25E-05 4,51 ASGRI 25883 FTA 48 1,25E-05 4,51 ASGRI 25883 FTA 48 1,25E-05 4,51 DAP 725371 FTA 42 6,00E-06 4,68 DAP 725371 FTA 40 1,12E-05 4,53 FLJ14981 245322 FTA 31 1,84E-04 3,83	CD79A	1056782	AT	25	1,00E-07	11,14	8,58
EPPBB 668454 AT 7 1,00E-07 9,67 DKFZp66780210 1844689 AT 3 1,00E-07 9,30 PLXNB2 1420676 FTA 65 6,00E-07 5,21 TBCLD17 739955 FTA 62 4,00E-07 5,15 XIFA6 745003 FTA 59 8,00E-07 5,15 XIAA1196 738938 FTA 52 1,40E-06 5,01 ASGRI 25883 FTA 48 1,25E-05 4,51 BCL2L11 300194 FTA 42 6,00E-06 4,68 DAP 725371 FTA 41 6,20E-06 4,67 CABINI 1844968 FTA 40 1,12E-05 4,53 FLU14981 24532 FTA 31 1,84E-04 3,83 RADS1L1 295412 FTA 26 3,52E-05 4,25 IMAGE:74565 745465 FTA 25 2,58E-02 2,25 <t< td=""><td>CD79B</td><td>155717</td><td>AT</td><td>25</td><td>1,00E-07</td><td>11,91</td><td>10,51</td></t<>	CD79B	155717	AT	25	1,00E-07	11,91	10,51
DKFZp66780210 1844689 AT 3 1,00E-07 9,30 PLXNB2 1420676 FTA 65 6,00E-07 5,21 TBC1D17 739955 FTA 62 4,00E-07 5,27 ZNF76 745003 FTA 59 8,00E-07 5,15 KIKAA1196 738938 FTA 52 1,40E-06 5,01 ASGR1 25883 FTA 48 1,25E-05 4,51 BCL2L11 300194 FTA 42 6,00E-06 4,68 DAP 725371 FTA 41 6,20E-06 4,67 CABIN1 1844968 FTA 40 1,12E-05 4,53 FL114981 24532 FTA 30 4,23E-05 4,21 TSPAN1 376003 FTA 26 3,52E-05 4,22 IMAGE:745465 745465 FTA 25 8,36E-05 -4,04 COL18A1 359202 FTA 24 3,20E-05 4,28	CXCL6	2108870	AT	14	1,00E-07	10,13	4,29
PLXNB2 1420676 FTA 65 6,00E-07 5,21 TBC1D17 739955 FTA 62 4,00E-07 5,27 ZMF76 745003 FTA 59 8,00E-07 5,15 KIAA1196 738938 FTA 52 1,40E-06 5,01 ASGRI 25883 FTA 48 1,25E-05 4,51 BCL2L11 300194 FTA 42 6,00E-06 4,68 DAP 725371 FTA 41 6,20E-06 4,67 CABIN1 1844968 FTA 40 1,12E-05 4,53 FLU14981 24532 FTA 31 1,84E-04 3,83 RADSIL1 295412 FTA 30 4,23E-05 4,21 TSPAN1 376003 FTA 26 3,52E-05 4,25 IMAGE:745465 745465 FTA 25 8,36E-05 -4,04 COL18A1 359202 FTA 24 3,20E-05 4,28 <t< td=""><td>EPPB9</td><td>668454</td><td>AT</td><td>7</td><td>1,00E-07</td><td>9,67</td><td>9,03</td></t<>	EPPB9	668454	AT	7	1,00E-07	9,67	9,03
TBCID17 739955 FTA 62 4,00E-07 5,27 ZNF76 745003 FTA 59 8,00E-07 5,15 KIAA1196 738938 FTA 52 1,40E-06 5,01 ASGRI 25883 FTA 48 1,25E-05 4,51 BCL2L11 300194 FTA 42 6,00E-06 4,68 DAP 725371 FTA 41 6,00E-06 4,67 CABIN1 1844968 FTA 40 1,12E-05 4,53 FLI14981 24532 FTA 31 1,84E-04 3,83 RADSIL1 295412 FTA 30 4,23E-05 4,21 TSPAN1 376003 FTA 26 3,52E-05 4,25 MIAGE-745465 745465 FTA 25 2,58E-02 2,25 PLCG1 1174287 FTA 25 8,36E-05 -4,04 COL18A1 359202 FTA 24 3,20E-05 4,24 <tr< td=""><td>DKFZp667B0210</td><td>1844689</td><td>AT</td><td>3</td><td>1,00E-07</td><td>9,30</td><td>4,83</td></tr<>	DKFZp667B0210	1844689	AT	3	1,00E-07	9,30	4,83
ZNF76 745003 FTA 59 8,00E-07 5,15 KIAA1196 738938 FTA 52 1,40E-06 5,01 ASGR1 25883 FTA 48 1,25E-05 4,51 BCLZLI1 300194 FTA 42 6,00E-06 4,68 DAP 725371 FTA 41 6,20E-06 4,67 CABINI 1844968 FTA 40 1,12E-05 4,53 FLJ14981 24532 FTA 40 1,12E-05 4,21 TSPAN1 376003 FTA 26 3,52E-05 4,25 IMAGE:745465 745465 FTA 25 2,58E-02 2,25 PLCG1 1174287 FTA 25 8,36E-05 -4,04 COL18A1 359202 FTA 24 3,20E-05 4,28 RPSGKA2 22711 FTA 23 3,77E-05 4,24 CAMKIINBipha 173820 FTA 16 3,01E-03 3,01	PLXNB2	1420676	FTA	65	6,00E-07	5,21	1,70
ZNF76 745003 FTA 59 8,00E-07 5,15 KIAA1196 738938 FTA 52 1,40E-06 5,01 ASGRI 25883 FTA 48 1,25E-05 4,51 BCL2L11 300194 FTA 42 6,00E-06 4,68 DAP 725371 FTA 41 6,20E-06 4,67 CABINI 1844968 FTA 40 1,12E-05 4,53 FLJ14981 24532 FTA 40 1,12E-05 4,53 FLD14981 24532 FTA 30 4,23E-05 4,21 TSPAN1 376003 FTA 26 3,52E-05 4,25 IMAGE:745465 FTA 25 2,58E-02 2,25 PLCG1 1174287 FTA 24 3,0E-05 4,24 COL18A1 359202 FTA 24 3,0E-05 4,24 CAMKINIApha 173820 FTA 16 3,0IE-03 3,0I BAT3	TBC1D17	739955	FTA	62	4,00E-07	5,27	1,56
ASGR1 25883 FTA 48 1,25E-05 4,51 BCL2L11 300194 FTA 42 6,00E-06 4,68 DAP 725371 FTA 41 6,20E-06 4,67 CABIN1 1844968 FTA 40 1,12E-05 4,53 FLJ14981 24532 FTA 31 1,84E-04 3,83 RAD51L1 295412 FTA 30 4,23E-05 4,21 TSPAN1 376003 FTA 26 3,52E-05 4,25 IMAGE:745465 745465 FTA 25 2,58E-02 2,25 PLCG1 1174287 FTA 25 8,36E-05 -4,04 COL18A1 359202 FTA 24 3,20E-05 4,28 RPS6KA2 2711 FTA 23 3,7TE-05 4,24 CAMKIINalpha 173820 FTA 22 9,52E-04 3,37 KLF1 208991 FTA 16 3,01E-03 3,01 BAT3 24392 FTA 11 1,00E-02 -2,61 IMAGE:24065 FTA 6 4,52E-04 -3,58 KRTHBS 364569 FTA 6 1,00E-07 5,68 DCI 667892 FTAB 6 1,00E-07 5,68 DCI 667892 FTAB 6 4,90E-06 -4,73 ALCAM 172828 FTAB 6 4,90E-06 -4,73 ALCAM 172828 FTAB 6 4,90E-06 -4,73 ALCAM 172828 FTAB 6 4,12E-04 3,86 ETF1 146976 FTAB 55 1,61E-04 3,86	ZNF76	745003	FTA	59	8,00E-07		1,51
BCL2L111 300194 FTA 42 6,00E-06 4,68 DAP 725371 FTA 41 6,20E-06 4,67 CABIN1 1844968 FTA 40 1,12E-05 4,53 FLJ14981 24532 FTA 31 1,84E-04 3,83 RAD51L1 295412 FTA 30 4,23E-05 4,21 TSPAN1 376003 FTA 26 3,52E-05 4,25 IMAGE:745465 745465 FTA 25 2,58E-02 2,25 PLCG1 1174287 FTA 25 8,36E-05 -4,04 COL18A1 359202 FTA 24 3,20E-05 4,28 RPS6KA2 22711 FTA 23 3,77E-05 4,24 CAMKIINAlpha 173820 FTA 16 3,01E-03 3,01 BAT3 24392 FTA 13 8,11E-04 3,41 PDK4 487379 FTA 11 1,00E-02 -2,61 IMAGE:24065 24065 FTA 6 4,52E-04 -3,58	KIAA1196	738938	FTA	52	1,40E-06	5,01	1,52
DAP 725371 FTA 41 6,20E-06 4,67 CABIN1 1844968 FTA 40 1,12E-05 4,53 FLJ14981 24532 FTA 31 1,84E-04 3,83 RAD51L1 295412 FTA 30 4,23E-05 4,21 TSPAN1 376003 FTA 26 3,52E-05 4,25 IMAGE:745465 745465 FTA 25 2,58E-02 2,25 PLCGI 1174287 FTA 25 8,36E-05 -4,04 COL18A1 359202 FTA 24 3,20E-05 4,28 RPS6KA2 22711 FTA 23 3,77E-05 4,24 CaMKIINalpha 173820 FTA 16 3,01E-03 3,01 BAT3 24392 FTA 16 3,01E-03 3,01 BAT3 24392 FTA 11 1,00E-02 -2,61 IMAGE:24065 24065 FTA 6 4,52E-04 -3,58	ASGR1	25883	FTA	48	1,25E-05	4,51	1,75
DAP 725371 FTA 41 6,20E-06 4,67 CABIN1 1844968 FTA 40 1,12E-05 4,53 FLJ14981 24532 FTA 31 1,84E-04 3,83 RAD51L1 295412 FTA 30 4,23E-05 4,21 TSPAN1 376003 FTA 26 3,52E-05 4,25 IMAGE:745465 745465 FTA 25 2,58E-02 2,25 PLCG1 1174287 FTA 25 8,36E-05 -4,04 COL18A1 359202 FTA 24 3,20E-05 4,28 RPS6KA2 22711 FTA 23 3,77E-05 4,24 CaMKIINalpha 173820 FTA 22 9,52E-04 3,37 KLF1 208991 FTA 16 3,01E-03 3,01 BAT3 24392 FTA 11 1,00E-02 -2,61 IMAGE:24065 24065 FTA 6 4,52E-04 -3,58	BCL2L11	300194	FTA	42	6,00E-06	4,68	1,42
CABIN1 1844968 FTA 40 1,12E-05 4,53 FLJ14981 24532 FTA 31 1,84E-04 3,83 RAD51L1 295412 FTA 30 4,23E-05 4,21 TSPAN1 376003 FTA 26 3,52E-05 4,25 IMAGE:745465 745465 FTA 25 2,58E-02 2,25 PLCG1 1174287 FTA 25 8,36E-05 -4,04 COL18A1 359202 FTA 24 3,20E-05 4,28 RPS6KA2 22711 FTA 23 3,77E-05 4,24 CAMKIINalpha 173820 FTA 22 9,52E-04 3,37 KLF1 208991 FTA 16 3,01E-03 3,01 BAT3 24392 FTA 13 8,11E-04 3,41 PDK4 487379 FTA 11 1,00E-02 -2,61 IMAGE:24065 24065 FTA 6 4,52E-04 -3,58 KRTHB5 364569 FTAb 86 1,00E-07 5,68		725371	FTA				1,51
FLI14981 24532 FTA 31 1,84E-04 3,83 RAD51L1 295412 FTA 30 4,23E-05 4,21 TSPAN1 376003 FTA 26 3,52E-05 4,25 IMAGE:745465 745465 FTA 25 2,58E-02 2,25 PLCG1 1174287 FTA 25 8,36E-05 -4,04 COL18A1 359202 FTA 24 3,20E-05 4,28 RPS6KA2 22711 FTA 23 3,77E-05 4,24 CaMKIINalpha 173820 FTA 22 9,52E-04 3,37 KLF1 208991 FTA 16 3,01E-03 3,01 BAT3 24392 FTA 13 8,11E-04 3,41 PDK4 487379 FTA 11 1,00E-02 -2,61 IMAGE:24065 24065 FTA 6 4,52E-04 -3,58 KRTHBS 364569 FTAb 86 1,00E-07 5,68	CABIN1		FTA				1,59
RAD51L1 295412 FTA 30 4,23E-05 4,21 TSPAN1 376003 FTA 26 3,52E-05 4,25 IMAGE:745465 745465 FTA 25 2,58E-02 2,25 PLCG1 1174287 FTA 25 8,36E-05 -4,04 COL18A1 359202 FTA 24 3,20E-05 4,28 RPS6KA2 22711 FTA 23 3,77E-05 4,24 CAMKIINalpha 173820 FTA 22 9,52E-04 3,37 KLF1 208991 FTA 16 3,01E-03 3,01 BAT3 24392 FTA 13 8,11E-04 3,41 PDK4 487379 FTA 11 1,00E-02 -2,61 IMAGE:24065 24065 FTA 6 4,52E-04 -3,58 KRTHBS 364569 FTAb 86 1,00E-07 5,68 DCI 667892 FTAb 74 6,00E-07 5,19			FTA				1,50
TSPAN1 376003 FTA 26 3,52E-05 4,25 IMAGE:745465 745465 FTA 25 2,58E-02 2,25 PLCG1 1174287 FTA 25 8,36E-05 -4,04 COL18A1 359202 FTA 24 3,20E-05 4,28 RPS6KA2 22711 FTA 23 3,77E-05 4,24 CaMKIINAlpha 173820 FTA 22 9,52E-04 3,37 KLF1 208991 FTA 16 3,01E-03 3,01 BAT3 24392 FTA 13 8,11E-04 3,41 PDK4 487379 FTA 11 1,00E-02 -2,61 IMAGE:24065 24065 FTA 6 4,52E-04 -3,58 KRTHBS 364569 FTAb 86 1,00E-07 6,02 METRN 487475 FTAb 74 6,00E-07 5,19 IFI30 740931 FTAb 68 4,90E-06 -4,73							1,66
IMAGE:745465 745465 FTA 25 2,58E-02 2,25 PLCG1 1174287 FTA 25 8,36E-05 -4,04 COL18A1 359202 FTA 24 3,20E-05 4,28 RPS6KA2 22711 FTA 23 3,77E-05 4,24 CaMKIINalpha 173820 FTA 22 9,52E-04 3,37 KLF1 208991 FTA 16 3,01E-03 3,01 BAT3 24392 FTA 13 8,11E-04 3,41 PDK4 487379 FTA 11 1,00E-02 -2,61 IMAGE:24065 24065 FTA 6 4,52E-04 -3,58 KRTHBS 364569 FTAb 86 1,00E-07 6,02 METRN 487475 FTAb 86 1,00E-07 5,68 DCI 667892 FTAb 74 6,00E-07 5,19 IF130 740931 FTAb 68 4,90E-06 -4,73 ALCAM 172828 FTAb 64 1,21E-05 -4,51 <							1,57
PLCG1 1174287 FTA 25 8,36E-05 -4,04 COL18A1 359202 FTA 24 3,20E-05 4,28 RPS6KA2 22711 FTA 23 3,77E-05 4,24 CaMKIINalpha 173820 FTA 22 9,52E-04 3,37 KLF1 208991 FTA 16 3,01E-03 3,01 BAT3 24392 FTA 13 8,11E-04 3,41 PDK4 487379 FTA 11 1,00E-02 -2,61 IMAGE:24065 24065 FTA 6 4,52E-04 -3,58 KRTHBS 364569 FTAb 86 1,00E-07 6,02 METRN 487475 FTAb 86 1,00E-07 5,68 DCI 667892 FTAb 74 6,00E-07 5,19 IFI30 740931 FTAb 68 4,90E-06 -4,73 ALCAM 172828 FTAb 64 1,21E-05 -4,51 ADAMTS2 364844 FTAb 55 1,61E-04 3,96							1,24
COL18A1 359202 FTA 24 3,20E-05 4,28 RPS6KA2 22711 FTA 23 3,77E-05 4,24 CaMKIINalpha 173820 FTA 22 9,52E-04 3,37 KLF1 208991 FTA 16 3,01E-03 3,01 BAT3 24392 FTA 13 8,11E-04 3,41 PDK4 487379 FTA 11 1,00E-02 -2,61 IMAGE:24065 24065 FTA 6 4,52E-04 -3,58 KRTHB5 364569 FTAb 86 1,00E-07 6,02 METRN 487475 FTAb 86 1,00E-07 5,68 DCI 667892 FTAb 74 6,00E-07 5,19 IFI30 740931 FTAb 68 4,90E-06 -4,73 ALCAM 172828 FTAb 64 1,21E-05 -4,51 ADAMTS2 364844 FTAb 55 1,61E-04 3,86 ETF1 146976 FTAb 54 1,12E-04 3,96							0,67
RPS6KA2 22711 FTA 23 3,77E-05 4,24 CaMKIINalpha 173820 FTA 22 9,52E-04 3,37 KLF1 208991 FTA 16 3,01E-03 3,01 BAT3 24392 FTA 13 8,11E-04 3,41 PDK4 487379 FTA 11 1,00E-02 -2,61 IMAGE:24065 24065 FTA 6 4,52E-04 -3,58 KRTHBS 364569 FTAb 86 1,00E-07 6,02 METRN 487475 FTAb 86 1,00E-07 5,68 DCI 667892 FTAb 74 6,00E-07 5,19 IFI30 740931 FTAb 68 4,90E-06 -4,73 ALCAM 172828 FTAb 64 1,21E-05 -4,51 ADAMTS2 364844 FTAb 55 1,61E-04 3,86 ETF1 146976 FTAb 54 1,12E-04 3,96							1,60
CaMKIINalpha 173820 FTA 22 9,52E-04 3,37 KLF1 208991 FTA 16 3,01E-03 3,01 BAT3 24392 FTA 13 8,11E-04 3,41 PDK4 487379 FTA 11 1,00E-02 -2,61 IMAGE:24065 24065 FTA 6 4,52E-04 -3,58 KRTHB5 364569 FTAb 86 1,00E-07 6,02 METRN 487475 FTAb 86 1,00E-07 5,68 DCI 667892 FTAb 74 6,00E-07 5,19 IFI30 740931 FTAb 68 4,90E-06 -4,73 ALCAM 172828 FTAb 64 1,21E-05 -4,51 ADAMTS2 364844 FTAb 55 1,61E-04 3,86 ETF1 146976 FTAb 54 1,12E-04 3,96							1,57
KLF1 208991 FTA 16 3,01E-03 3,01 BAT3 24392 FTA 13 8,11E-04 3,41 PDK4 487379 FTA 11 1,00E-02 -2,61 IMAGE:24065 24065 FTA 6 4,52E-04 -3,58 KRTHB5 364569 FTAb 86 1,00E-07 6,02 METRN 487475 FTAb 86 1,00E-07 5,68 DCI 667892 FTAb 74 6,00E-07 5,19 IFI30 740931 FTAb 68 4,90E-06 -4,73 ALCAM 172828 FTAb 64 1,21E-05 -4,51 ADAMTS2 364844 FTAb 55 1,61E-04 3,86 ETF1 146976 FTAb 54 1,12E-04 3,96							1,35
BAT3 24392 FTA 13 8,11E-04 3,41 PDK4 487379 FTA 11 1,00E-02 -2,61 IMAGE:24065 24065 FTA 6 4,52E-04 -3,58 KRTHB5 364569 FTAb 86 1,00E-07 6,02 METRN 487475 FTAb 86 1,00E-07 5,68 DCI 667892 FTAb 74 6,00E-07 5,19 IF130 740931 FTAb 68 4,90E-06 -4,73 ALCAM 172828 FTAb 64 1,21E-05 -4,51 ADAMTS2 364844 FTAb 55 1,61E-04 3,86 ETF1 146976 FTAb 54 1,12E-04 3,96	•						1,49
PDK4 487379 FTA 11 1,00E-02 -2,61 IMAGE:24065 24065 FTA 6 4,52E-04 -3,58 KRTHB5 364569 FTAb 86 1,00E-07 6,02 METRN 487475 FTAb 86 1,00E-07 5,68 DCI 667892 FTAb 74 6,00E-07 5,19 IFI30 740931 FTAb 68 4,90E-06 -4,73 ALCAM 172828 FTAb 64 1,21E-05 -4,51 ADAMTS2 364844 FTAb 55 1,61E-04 3,86 ETF1 146976 FTAb 54 1,12E-04 3,96							1,42
IMAGE:24065 24065 FTA 6 4,52E-04 -3,58 KRTHB5 364569 FTAb 86 1,00E-07 6,02 METRN 487475 FTAb 86 1,00E-07 5,68 DCI 667892 FTAb 74 6,00E-07 5,19 IFI30 740931 FTAb 68 4,90E-06 -4,73 ALCAM 172828 FTAb 64 1,21E-05 -4,51 ADAMTS2 364844 FTAb 55 1,61E-04 3,86 ETF1 146976 FTAb 54 1,12E-04 3,96							0,70
KRTHB5 364569 FTAb 86 1,00E-07 6,02 METRN 487475 FTAb 86 1,00E-07 5,68 DCI 667892 FTAb 74 6,00E-07 5,19 IFI30 740931 FTAb 68 4,90E-06 -4,73 ALCAM 172828 FTAb 64 1,21E-05 -4,51 ADAMTS2 364844 FTAb 55 1,61E-04 3,86 ETF1 146976 FTAb 54 1,12E-04 3,96							0,75
METRN 487475 FTAb 86 1,00E-07 5,68 DCI 667892 FTAb 74 6,00E-07 5,19 IFI30 740931 FTAb 68 4,90E-06 -4,73 ALCAM 172828 FTAb 64 1,21E-05 -4,51 ADAMTS2 364844 FTAb 55 1,61E-04 3,86 ETF1 146976 FTAb 54 1,12E-04 3,96							1,94
DCI 667892 FTAb 74 6,00E-07 5,19 JFI30 740931 FTAb 68 4,90E-06 -4,73 ALCAM 172828 FTAb 64 1,21E-05 -4,51 ADAMTS2 364844 FTAb 55 1,61E-04 3,86 ETF1 146976 FTAb 54 1,12E-04 3,96							2,15
IFI30 740931 FTAb 68 4,90E-06 -4,73 ALCAM 172828 FTAb 64 1,21E-05 -4,51 ADAMTS2 364844 FTAb 55 1,61E-04 3,86 ETF1 146976 FTAb 54 1,12E-04 3,96							1,63
ALCAM 172828 FTAb 64 1,21E-05 -4,51 ADAMTS2 364844 FTAb 55 1,61E-04 3,86 ETF1 146976 FTAb 54 1,12E-04 3,96							0,41
ADAMTS2 364844 FTAb 55 1,61E-04 3,86 ETF1 146976 FTAb 54 1,12E-04 3,96							0,68
ETF1 146976 FTAb 54 1,12E-04 3,96							
							1,41
1733111 00/314 FIAD 44 1,22E-U4 3,94							1,54
IMAGE:487086 487086 FTAb 42 1,52E-04 −3,88							1,94 0,67

Table 3. Cont.

Symbol	Clone ID	Class	Cross validation support (%)	Parametric p-value	t-value	Fold- change
IMAGE:666315	666315	FTAb	35	5,63E-04	3,52	1,52
GRB10	564994	FTAb	33	1,80E-04	3,83	1,42
ISG20	740604	FTAb	33	3,51E-05	-4,26	0,60
SPARC	267358	FTAb	33	1,09E-04	3,97	1,47
HAS3	667533	FTAb	28	1,07E-04	3,97	1,52
USP13	666007	FTAb	20	9,96E-05	3,99	1,56
KRT4	1173570	FTAb	13	2,87E-04	3,71	1,65
LHFP	591534	FTAb	9	2,24E-03	-3,11	0,74
PCDHB15	730593	FTAb	9	1,06E-03	-3,33	0,74
TPM2	740620	FTAb	9	9,35E-03	2,63	1,45
DKFZp434M202	743118	FTAb	2	5,77E-03	-2,80	0,76
C22orf9	667250	FTC	89	2,00E-07	-5,43	0,34
SUCLG2	687551	FTC	83	7,00E-07	-5,18	0,27
LAPTM4A	726684	FTC	77	4,00E-07	-5,26	0,24
KIAA1576	743426	FTC	76	1,00E-07	5,70	3,33
NR2F2	72744	FTC	65	2,60E-06	4,87	3,11
CHST3	665327	FTC	62	2,90E-06	-4,85	0,32
PAI-RBP1	236055	FTC	55	5,30E-06	-4,71	0,29
IMAGE:729896	729896	FTC	54	3,00E-07	5,34	3,22
ZBTB16	2467442	FTC	52	4,72E-05	4,18	4,68
ZNF364	471834	FTC	52	5,80E-06	-4,69	0,39
GHITM	25077	FTC	50	5,30E-06	-4,71	0,31
LRP8	415554	FTC	49	1,43E-04	3,90	2,74
CEECAM1	666784	FTC	45	2,67E-04	3,73	2,22
HIST1H4C	682451	FTC	43	1,57E-05	-4,45	0,25
TIE1	743043	FTC	35	5,46E-05	4,14	2,52
SH3RF2	744797	FTC	22	5,37E-03	2,82	2,18
MGC5395	238840	FTC	15	5,07E-04	3,55	2,66
EMX2	365121	FTC	14	6,95E-03	-2,73	0,51
LRRC28	26519	FTC	13	1,51E-03	-3,23	0,40
GFRA3	2716748	FTC	11	4,52E-03	2,88	1,93
TTC19	136366	GD	72	1,57E-04	3,87	1,87
ATP6V1G2	726424	GD	61	1,91E-04	3,82	2,22
IMAGE:23817	23817	GD	61	3,65E-04	-3,64	0,52
IMAGE:178161	178161	GD	52	6,99E-04	3,46	2,53
BDKRB2	665674	GD	50	6,16E-03	2,78	2,15
IMAGE:744385	744385	GD	48	1,37E-02	2,49	1,70
LOC150837	258698	GD	47	5,84E-04	3,51	1,81
SSX1	262894	GD	47	5,97E-04	3,50	1,76
DHX57	24623	GD	46	1,69E-03	-3,19	0,59
RAI14	731711	GD	46	8,19E-03	2,68	1,56
IMAGE:180851	180851	GD	45	5,36E-03	-2,82	0,61
MGC5566	53119	GD	43	1,74E-03	3,18	1,85
D21S2056E	740140	GD	36	2,44E-03	3,08	1,72
IMAGE:729489	729489	GD	31	1,28E-03	3,28	2,95
KIAA1737	122063	GD	29	1,78E-03	3,18	1,67
MLH3	250771	GD	21	8,59E-03	2,66	1,59
IMAGE:53081	53081	GD	18	3,35E-03	2,98	1,77
TERF1	135773	GD	16	2,81E-02	2,22	1,45

Table 3. Cont.

Symbol	Clone ID	Class	Cross validation	Parametric	6 yel	Fold-
Symbol		Class	support (%)	p-value	t-value	change
DCXR	724596	GD	15	3,39E-03	-2,97	0,61
IMAGE:136686	136686	GD	15	6,29E-02	1,87	1,48
FLJ11127	668625	MNG	88	2,30E-06	4,90	1,54
RODH	471641	MNG	83	1,51E-05	4,46	2,57
MGC17299	713422	MNG	59	6,54E-05	4,10	1,37
NR2F2	72744	MNG	57	3,10E-04	3,69	1,40
ZNF83	486356	MNG	50	3,72E-04	3,64	1,32
IMAGE:744505	744505	MNG	43	2,51E-04	3,74	1,38
IMAGE:745187	745187	MNG	42	1,15E-03	-3,31	0,78
CAV1	309645	MNG	41	3,38E-04	3,66	1,59
CNTN6	257773	MNG	41	2,34E-04	3,76	1,38
C10orf116	740941	MNG	40	2,82E-04	3,71	1,72
CALM1	594510	MNG	39	1,21E-03	-3,30	0,77
IMAGE:726782	726782	MNG	39	3,97E-04	3,62	1,38
IMAGE:250463	250463	MNG	28	6,76E-03	2,74	1,29
IMAGE:731726	731726	MNG	28	3,90E-04	3,62	1,52
TTC17	665668	MNG	28	5,24E-04	3,54	1,31
PRKCA	768246	MNG	25	9,12E-04	-3,38	0,71
NR4A1	1073288	MNG	19	1,88E-03	-3,16	0,64
PDLIM1	135689	MNG	14	9,76E-04	3,36	1,48
IMAGE:731292	731292	MNG	11	2,65E-02	-2,24	0,68
SLC17A2	207920	MNG	9	2,70E-02	-2,23	0,67
MLL	80688	ОТА	76	1,00E-07	-8,18	0,55
ALDH1A3	486189	ОТА	67	1,00E-07	6,38	1,79
CLECSF12	258865	OTA	63	1,00E-07	7,66	3,51
IMAGE:485104	485104	ОТА	60	1,00E-07	7,32	2,25
DCN	666410	ОТА	49	1,00E-07	-7,19	0,50
PROZ	430471	ОТА	47	1,00E-07	7,05	2,76
CHRDL2	485872	ОТА	46	1,00E-07	6,72	1,58
B3GNTL1	53341	ОТА	39	9,00E-07	5,10	2,04
SNRP70	729971	ОТА	39	1,00E-07	-7,00	0,52
HSPC159	365045	ОТА	38	1,00E-07	6,86	1,70
C4A	724366	ОТА	32	1,00E-07	-6,30	0,39
SLC6A8	725877	ОТА	31	1,00E-07	-7,00	0,23
OBSCN	730926	ОТА	29	1,00E-07	6,95	1,55
IMAGE:731616	731616	ОТА	27	1,00E-07	6,88	2,42
DC12	724895	ОТА	24	1,00E-07	6,67	1,71
UBA52	530069	OTA	16	4,40E-06	-4,75	0,29
KCNQ2	179534	ОТА	14	1,00E-07	6,43	1,77
HCNGP	365934	OTA	11	1,92E-05	4,40	1,40
C9orf72	726849	OTA	10	4,40E-06	-4,75	0,69
GNAI1	753215	OTA	6	8,90E-06	4,59	1,48
SDHA	40304	OTC	95	1,00E-07	6,29	3,16
DNALI1	782688	OTC	72	1,00E-07		0,24
					-5,53 5.00	
IMAGE:382423	382423	OTC	50	1,50E-06	5,00	3,52
ATP11C	667991	OTC	47	2,30E-05	4,36	2,17
C1QBP	173371	OTC	46	2,70E-06	4,86	2,47
DCN AAT1E	666410	OTC	43	6,80E-06	-4,65	0,29
MT1F	78353	OTC	41	3,70E-06	-4,79	0,16

Table 3. Cont.

		Cross validation Parametric		Parametric		Fold-
Symbol	Clone ID	Class	support (%)	p-value	t-value	change
KIAA0543	175080	ОТС	38	9,15E-05	4,01	2,03
FBXO46	471664	ОТС	37	1,67E-05	4,44	2,85
CD33	1917430	ОТС	35	1,06E-05	4,55	3,71
тн	813654	ОТС	32	8,32E-04	3,41	1,95
IMAGE:742061	742061	ОТС	31	1,99E-05	4,39	2,73
IDH3B	723755	ОТС	27	1,90E-05	4,41	2,27
IMAGE:359454	359454	ОТС	23	1,31E-05	-4,50	0,27
SST	39593	ОТС	23	1,34E-03	3,26	1,81
DHRS6	364412	ОТС	20	4,03E-04	-3,61	0,48
IMAGE:136933	136933	ОТС	19	6,25E-03	2,77	2,19
TPM2	740620	ОТС	18	1,59E-05	-4,45	0,30
TM7SF3	666928	ОТС	14	3,58E-04	3,65	2,00
PREB	740347	ОТС	5	1,29E-02	-2,51	0,33
LRRIQ2	487152	OTUM	59	1,29E-04	3,92	2,01
LRRC28	26519	OTUM	53	2,04E-04	-3,80	0,43
NDUFC1	796513	OTUM	53	2,65E-03	-3,05	0,61
NUMBL	1855110	OTUM	53	2,94E-04	-3,70	0,56
IMAGE:667527	667527	OTUM	48	2,31E-04	3,77	2,45
MAK	382002	OTUM	43	3,71E-04	3,64	2,14
PCGF4	740457	OTUM	43	3,06E-04	3,69	2,61
IFITM3	713623	OTUM	42	1,74E-02	2,40	1,63
CLGN	1049033	OTUM	40	1,52E-03	3,23	1,86
DEFB1	665086	OTUM	40	9,17E-04	3,38	2,79
IMAGE:669098	669098	OTUM	35	9,47E-04	3,37	1,85
GNAS	382791	ОТИМ	31	6,58E-04	3,47	2,75
PTTG1	742935	OTUM	29	7,53E-03	-2,71	0,52
USP14	376462	OTUM	28	9,21E-03	-2,64	0,65
SNF7DC2	730401	OTUM	25	1,36E-02	2,49	1,51
C21orf84	730814	OTUM	19	1,24E-03	3,29	2,08
TCTE3	136862	OTUM	19	2,48E-02	-2,27	0,69
TH	813654	OTUM	19	3,81E-02	-2,09	0,69
BAK1	235938	OTUM	16	1,12E-03	3,32	1,80
PAX6	230882	OTUM	12	1,28E-02	-2,52	0,66
CDH3	359051	PTC	99	1,00E-07	9,16	3,95
DPP4	343987	PTC	98	1,00E-07	8,72	4,22
CLDN1	594279	PTC	86	1,00E-07	7,88	8,98
SEP-02	729542	PTC	83	2,60E-01	1,13	1,20
ABCC3	208097	PTC	74	1,00E-07	6,30	3,48
ECM1	301122	PTC	67	1,00E-07	8,24	6,00
TSC	745490	PTC	60	1,00E-07	7,70	4,65
QPCT	711918	PTC	57	1,00E-07	7,27	3,36
ADAMTS9	376153	PTC	48	6,40E-06	4,66	1,95
IMAGE:687667	687667	PTC	48	1,00E-07	7,10	3,74
SLPI	378813	PTC	46	1,00E-07	7,10	2,98
MATN1	1624260	PTC	43	1,00E-07	-6,74	0,42
CITED1	265558	PTC	40	1,00E-07	6,84	4,88
CCND1	324079	PTC	38	1,00E-07	6,39	2,55
IMAGE:136976	136976	PTC	23	1,00E-07	6,15	2,11
PET112L	743125	PTC	20	1,00E-07	6,27	1,96

Table 3. Cont.

Symbol	Clone ID	Class	Cross validation support (%)	Parametric p-value	t-value	Fold- change
DAF	627107	PTC	16	1,00E-07	5,68	1,89
GSS	140405	PTC	7	1,00E-07	5,73	2,05
CASP3	823680	PTC	5	6,00E-07	5,20	2,08
CD9	727251	PTC	1	1,45E-05	4,47	1,57
IMAGE:687667	687667	TUM	94	1,00E-07	6,33	3,90
CREB3L2	136399	TUM	63	4,90E-06	-4,73	0,48
EIF1AY	380394	TUM	55	4,02E-05	-4,22	0,57
DJ462O23.2	738970	TUM	51	1,64E-05	4,44	1,63
CITED1	265558	TUM	49	1,21E-05	4,51	3,53
KLF1	208991	TUM	46	3,72E-05	-4,24	0,43
SNCB	50202	TUM	45	4,68E-05	4,18	1,99
FLJ10748	726830	TUM	44	4,24E-05	4,21	1,71
ANK2	2139315	TUM	43	1,31E-03	3,27	1,68
IGFBP3	269873	TUM	39	9,68E-05	4,00	2,06
WDR1	714196	TUM	37	2,06E-04	-3,80	0,65
IFNAR2	123950	TUM	36	2,56E-04	-3,74	0,61
SCNN1A	741305	TUM	36	2,37E-05	-4,35	0,41
TSC	745490	TUM	27	1,95E-04	3,81	2,61
NBL1	503874	TUM	24	2,47E-04	-3,75	0,35
ETF1	146976	TUM	18	6,36E-04	3,48	1,63
ICOSLG	2074228	TUM	18	1,12E-03	3,32	1,55
NCB5OR	743367	TUM	15	2,03E-03	-3,14	0,56
ZNF415	23939	TUM	14	4,94E-03	-2,85	0,63
KLK2	1102600	TUM	9	1,39E-03	-3,25	0,66

AT: autoimmune thyroiditis; FTA: macrofollicular thyroid adenoma; FTAb: microfollicular thyroid adenoma; FTC: follicular thyroid carcinoma; GD, Graves' disease; MNG: multinodular goiter; OTA: oncocytic thyroid adenoma; OTC: oncocytic thyroid carcinoma; PTC: papillary thyroid carcinoma; TUM: tumor of uncertain malignancy; and OTUM:, oncocytic tumor of uncertain malignancy. doi:10.1371/journal.pone.0007632.t003

Discussion


The clinical diagnosis of thyroid tumors is subject to significant inter- and intra-observer variations [22,23]. Since 2001, various molecular markers for thyroid tumors have been proposed on the basis of microarray analysis. However, none of these markers has proved satisfactory in clinical practice, possibly because only a small number of thyroid tumor classes were initially taken into account. In our study, we analyzed six publicly available microarray datasets containing 347 thyroid tissue samples and defining as many as 12 classes of thyroid tumors. One of these datasets, the Fontaine dataset generated by our laboratory, comprised about half the total number of samples, including all the differentiated follicular thyroid lesions.


With regard to the 12 classes of thyroid tumor defined, we found that more than half of the 104 relevant and cross-validated differential genes were also related to other classes, such as AT, GD, TUM, FTAb, which were not shared by the two main datasets, i.e. the Giordano dataset and the Fontaine dataset. This may have affected the relevance of the signature in the classification of the follicular pathologies, explaining the low percentage of genes common to the two classifiers. Although the genes were selected from different sets of classes, discrepancies of some gene profiles, for example in Cluster 5, may be related to incomplete microarray platform compatibility or to differential cellular environment. Interestingly, most of the genes in

Cluster 5 were involved in the process of vascular endothelial cell expansion [24–26], which may represent the stromal reaction. Despite the small number of FTC and OTC samples and the microarray platform being restricted to 9,216 probes, our classifier was able to validate the classification of PTC, FTC, FTA and OTC on five other datasets (Table 3). This demonstrated the relevance of our approach to the molecular classification of the main types of differentiated follicular thyroid pathology.


Unsupervised analysis of the class signatures showed a separation into three groups corresponding to benign, malignant, and oncocytic thyroid tumors (Figure 1). The pairwise distinctions of benign/normal and malignant tumors were consistent with published reports, as in the case of PTC and FTA [14]. The surprising proximity of the FTC and FTA classes in the Giordano dataset has already been discussed [4]. This could be related to the high homogeneity in the expression profiles of the FTC samples, which were positive for the PAX8-PPARG rearrangement and significantly related to the malignant profile of the PTC samples. Thus, the clustering of the FTC- and FTA classes appears to be related more to their heterogeneous expression profiles rather than to their tendency to tumoral behavior. These results strongly suggest the existence of molecular subclasses for the FTA and FTC- samples. Interestingly, the FTC samples in the Fontaine dataset, included in the malignant group, were negative for the PAX8-PPARG translocation.

A classifiers performances during intra-dataset cross validations





B binary training and validations on new samples






Figure 2. Class prediction of the samples. Panel A shows the mean positive accuracy of classifiers during intra-dataset cross-validations for the two main datasets, i.e. the Fontaine dataset and the Giordano dataset. Each classifier is composed of 20 genes selected by the Greedy Pairs algorithm and using Diagonal Linear Discriminant Analysis for training and prediction. Some classifiers were trained with samples from the selected class and the normal tissue, i.e. with binary training (black bars). Other classifiers were trained with all the samples of the dataset, i.e. with complete training (gray bars). Panel B shows the class prediction of new samples by binary-trained classifiers in the two datasets. All the new samples come from the same dataset and should have been predicted as negative. The negative predictive value which was deduced from binary training (black bars) is compared to observations on the new samples (gray bars). WT: wild type tissue; PTC: papillary thyroid carcinoma; FTA: macrofollicular thyroid adenoma; FTAb: microfollicular thyroid adenoma; MNG, multinodular goiter; FTC: follicular thyroid carcinoma (FTC+: with Pax8/PPARγ translocation; FTC-: without Pax8/PPARγ translocation); OTA: oncocytic thyroid adenoma; OTC: oncocytic thyroid carcinoma; TUM: tumor of uncertain malignancy; OTUM: oncocytic tumor of uncertain malignancy; GD, Graves' disease; and AT, autoimmune thyroïditis. doi:10.1371/journal.pone.0007632.g002

Although the histologic diagnosis of oncocytic follicular tumors presents few problems, the two latest WHO classifications have debated whether these tumors should be considered as an independent class of tumors or as a variant of follicular tumors. This question is still relevant in view of the recent results of miRNA profiling that clearly revealed the segregation of oncocytic

Table 4. Inter-dataset cross-validations. Positive accuracies of the classifiers defined by the Fontaine dataset in five other datasets

DATASET	PTC	FTC	FTA	отс	ОТА
Giordano et al. 2006	0.93	0.40	0.48	0.64	0.59
Weber et al. 2005	-	0.77	0.96	0.72	-
Jarzab et al. 2005	1.00	-	-	-	-
Reyes et al. 2006	1.00	-	-	-	-
He et al. 2005	1.00	-	-	-	-

FTA: macrofollicular thyroid adenoma; FTC: follicular thyroid carcinoma; OTA: oncocytic thyroid adenoma; OTC: oncocytic thyroid carcinoma; and PTC: papillary thyroid carcinoma.

doi:10.1371/journal.pone.0007632.t004

tumors from other conventional follicular tumors [27]. According to their specific gene-expression profiles as well as their mutational status for RAS and PAX8-PPARy genes [7], oncocytic tumors should be considered as distinct from the other follicular tumors. The role of the "oncocytic group" signature in the appropriate classification of benign and malignant tumors is debatable. Considering the mitochondrial richness of follicular thyroid tumors, this signature may highlight the metabolic changes during tumorigenesis. Little is known about the etiology of oncocytomas but their signature is composed of numerous mitochondrial and metabolic genes, and the role played by these genes in tumor aggressivity has not yet been established [7,20]. Interestingly, we found that microfollicular adenomas (FTAb) were related by their molecular profiles to oncocytic adenomas as well as to carcinomas. Relationships between thyroid metabolism and microfollicular lesions have been explored [28], but never in the context of mitochondrial functions. However, in a recent study, the galectin-3 profile associated with FTAb was reported to be related to its role in the regulation of mitochondrial stability [29]. Galectin-3 has been also involved in thyroid tumorigenesis through its antiapoptotic activity [30]. Thus, the malignant potential of FTAb is still under discussion [31].

Evaluation of the performance of the classifiers used showed that poor performance was associated with the FTA subclasses in




Figure 3. Hierarchical clustering of cross-validated differential genes. The heatmap shows gene-expression levels in the Fontaine dataset for the tissue classes common to the Giordano dataset (104 genes). Functional enrichments are shown for five identified gene clusters on the right, followed by p-values and the genes involved. The black text represents Level 3 Gene Ontology terms; the blue text represents canonical Ingenuity pathways. Gene profiles of the differential genes reflect the class similarities observed. WT: wild type tissue; PTC: papillary thyroid carcinoma; FTA: macrofollicular thyroid adenoma; FTC: follicular thyroid carcinoma; OTA: oncocytic thyroid adenoma; and OTC: oncocytic thyroid carcinoma. doi:10.1371/journal.pone.0007632.g003

the two main datasets. In our study, the functional status of the FTA samples may have influenced the performance of the classifiers in discriminating true FTA from hyperfunctioning nodules. Only 12% of macrofollicular adenomas presented mutations in the TSH receptor or GNAS genes. These results correlated on microarray analysis with the expression profile of several genes previously associated with the hyperfunctional status of nodules [32]. Even though our FTA group represents a mix of adenomas in terms of functional status, the signature of follicular adenoma defined by our classifier are involved in other processes than iodine uptake and thyroid hormone secretion. As the selected genes are mainly associated to cell metabolism (CABIN1, CAMK2A, DAP, PDK4), signal transduction (ASGR1, PLXNB2, TBC1, PLCG1) and cell adhesion (COL18A1), we believe that the FTA signature we propose can discriminate true FTA from other follicular thyroid tumors. The relevance of constructing subclasses of follicular adenomas was tested on six cross-validated markers and six specific markers from our own analysis (Figure 4). Five specific markers enabled us to segregate micro- and macrofollicular adenomas from oncocytic adenomas and minimally invasive follicular carcinomas, while only one of the six crossvalidated markers showed the same performance. Distinguishing between subclasses of adenoma allowed the identification of relevant molecular markers of follicular adenomas. These markers had never been differentially selected during previous microarray analyses of thyroid tumors. However, three of the markers (ADAMTS2, ALDH1A3 and CABIN1) had been proposed as prognostic markers for the recurrence of epithelial tumors [33–35].

The observation of six protein profiles highlights the difficulty of proposing immunomarkers for clinical practice. However, some markers may be relevant for the classification of differentiated follicular pathologies (FTA, FTC, PTC, OTA and OTC). It has been suggested that APOD, which has a specific protein profile for FTC and PTC, may modify the proliferative activity of cancer cells [36]. The differential expression of the folding protein calmegin (CLGN) with FTA and FTC samples may be associated with a difference in the abundance of the protein, as recently described in thyroid tumors [37]. Furthermore, increasing the number of thyroid tumor classes has revealed new aspects of some of the markers. Thus, TIMP1 and CRABP1 were not selected by our classifier but figured in the intersecting differential gene lists. Our data clearly questioned the relevance of TIMP1 as a marker of thyroid cancer. Since high protein levels were observed in the AT and PTC classes, TIMP1 expression may be more closely related to the frequently described lymphocytic infiltration in PTC [38]. Quantitative RT-PCR analysis on new follicular samples confirmed the upregulation of CRABP1 expression in all the adenomas as compared to follicular carcinomas. Underexpression of CRABP1 mRNA was relevant in distinguishing the FTC as well as PTC classes, as reported previously [39,40]. However, our results differed at the protein level compared to a study on cold thyroid nodules where both the expression of CRABP1 mRNA and the protein were downregulated compared to normal

Table 5. Cross validated differential genes from the two main datasets (n = 104).

Cluster	Symbol	UGCluster	Clone ID	P-value	P-value
				(Fontaine et al. 2008)	(Giordano et al. 2006)
1	CASP10	Hs.5353	241481	1,00E-07	1,00E-07
1	CLGN	Hs.86368	1049033	1,00E-07	1,00E-07
1	DEFB1	Hs.32949	665086	1,00E-07	1,00 ^E -07
1	NTRK2	Hs.494312	2048801	1,00E-07	1,00 ^E -07
1	SDHA	Hs.440475	40304	1,00E-07	1,00 ^E -07
1	HSPC159	Hs.372208	365045	1,00E-07	3,00 ^E -07
1	ALDH1A3	Hs.459538	486189	1,00E-07	8,00 ^E -07
1	PLCG2	Hs.413111	201467	1,00E-07	9,00 ^E -07
1	ARVCF	Hs.370408	40633	1,00E-07	1,50 ^E -06
1	ELK4	Hs.497520	236155	1,00E-07	1,50 ^E -06
1	DCI	Hs.403436	667892	1,00E-07	1,70 ^E -06
1	DIO1	Hs.251415	296702	1,00E-07	3,50 ^E -06
1	CKS2	Hs.83758	725454	2,00E-07	9,00 ^E -07
1	ID1	Hs.504609	1087348	2,00E-07	3,90 ^E -06
1	MRPS11	Hs.111286	471574	4,00E-07	1,00 ^E -07
1	ST6GALNAC2	Hs.592105	823590	6,00E-07	8,00 ^E -07
1	GFPT2	Hs.696497	485085	9,00E-07	1,00 ^E -07
1	PITPNC1	Hs.591185	364436	9,00E-07	2,00 ^E -07
1	HRK	Hs.87247	767779	1,00E-06	1,00 ^E -07
1	MAPRE2	Hs.532824	383868	1,20E-06	1,00 ^E -07
1	DOK5	Hs.656582	25664	1,30E-06	1,00 ^E -07
1	RPS6KA5	Hs.510225	258966	1,40E-06	1,00 ^E -07
1	DCXR	Hs.9857	724596	3,00E-06	1,00 ^E -07
1	ODAM	Hs.143811	364706	3,30E-06	1,00 ^E -07
1	KLK2	Hs.515560	1102600	5,00E-06	1,30 ^E -06
1	F5	Hs.30054	433155	6,60E-06	1,00 ^E -07
1	MFAP3L	Hs.593942	726821	7,60E-06	1,00 ^E -07
1	GALNT7	Hs.548088	381854	1,10E-05	1,00 ^E -07
2	AHNAK	Hs.502756	238840	1,00E-07	1,00 ^E -07
2	APOD	Hs.522555	838611	1,00E-07	1,00 ^E -07
2	CAMK2N1	Hs.197922	173820	1,00E-07	1,00 ^E -07
2	CFD	Hs.155597	666128	1,00E-07	1,00 ^E -07
2	FCGBP	Hs.111732	154172	1,00E-07	1,00 ^E -07
2	FOXO1	Hs.370666	151247	1,00E-07	1,00 ^E -07
2	GLT8D2	Hs.631650	365271	1,00E-07	1,00 ^E -07
2	MATN2	Hs.189445	28584	1,00E-07	1,00 ^E -07
2	PRUNE	Hs.78524	364324	1,00E-07	1,00 ^E -07
2	SLC4A4	Hs.5462	787938	1,00E-07	1,00 ^E -07
2	PAX8	Hs.469728	545475	1,00E-07	3,00 ^E -07
2	HSD17B6	Hs.524513	471641	1,00E-07	1,30 ^E -06
2	НВВ	Hs.523443	469549	1,00E-07	2,60 ^E -06
2	APOE	Hs.654439	1870594	1,00E-07	3,70 ^E -06
2	CRABP1	Hs.346950	739193	1,00E-07	4,20 ^E -06
2	ZNF76	Hs.388024	745003	1,00E-07	4,70 ^E -06
2	C20orf19	Hs.187635	366032	1,00E-07	5,00 ^E -06
2	DEPDC6	Hs.112981	669318	2,00E-07	1,00 ^E -07
2	CDH16	Hs.513660	726763	5,00E-07	1,00 ^E -07
2	HBA2	Hs.654744	469647	6,00E-07	1,80 ^E -06
2	SASH1	Hs.193133	31120	1,40E-06	1,00 ^E -07

Table 5. Cont.

Cluster	Symbol	UGCluster	Clone ID	P-value	P-value
				(Fontaine et al. 2008)	(Giordano et al. 2006)
2	HEXIM1	Hs.15299	342551	2,20E-06	1,00 ^E -07
2	GJA1	Hs.74471	839101	2,30E-06	1,40 ^E -06
	TIMP3	Hs.644633	501476	4,30E-06	4,80 ^E -06
	IL11RA	Hs.591088	1101773	5,50E-06	7,00 ^E -07
	APLP2	Hs.695920	549054	1,00E-07	1,00 ^E -07
	DCN	Hs.694789	666410	1,00E-07	1,00 ^E -07
	FRMD4B	Hs.371681	669564	1,00E-07	1,00 ^E -07
	HMGB2	Hs.434953	884365	1,00E-07	1,00 ^E -07
	IGF2BP2	Hs.35354	743774	1,00E-07	1,00 ^E -07
	LOC400451	Hs.27373	667174	1,00E-07	1,00 ^E -07
	NPAL3	Hs.523442	738970	1,00E-07	1,00 ^E -07
	PBXIP1	Hs.505806	366042	1,00E-07	1,00 ^E -07
	PDGFRL	Hs.458573	139242	1,00E-07	1,00 ^E -07
	PDLIM1	Hs.368525	135689	1,00E-07	1,00 ^E -07
	PSAT1	Hs.494261	366388	1,00E-07	1,00 ^E -07
	SF3B1	Hs.632554	739247	1,00E-07	1,00 ^E -07
	TIAM1	Hs.517228	23612	1,00E-07	1,00 ^E -07
	TSHR	Hs.160411	565317	1,00E-07	1,00 ^E -07
	FAM111A	Hs.150651	137454	1,00E-07	4,00 ^E -07
	CA11	Hs.428446	282587	3,00E-07	1,00 ^E -07
	HNRPA3	Hs.516539	365349	5,00E-07	2,60 ^E -06
	ABCC3	Hs.463421	208097	1,00E-07	1,00 ^E -07
	CDH3	Hs.461074	359051	1,00E-07	1,00 ^E -07
	CITED1	Hs.40403	265558	1,00E-07	1,00 ^E -07
	CLDN1	Hs.439060			1,00°-07
			594279	1,00E-07	1,00°-07
	DPP4	Hs.368912	343987	1,00E-07	1,00 -07 1,00 ^E -07
	DUSP5	Hs.2128	33285	1,00E-07	1,00 -07
	NOTCH2	Hs.487360	1641901	1,00E-07	1,00 -07 1,00 ^E -07
	QPCT	Hs.79033	711918	1,00E-07	
	S100A4	Hs.654444	868577	1,00E-07	1,00 ^E -07
	SCEL	Hs.534699	668239	1,00E-07	1,00 ^E -07
	SLPI	Hs.517070	378813	1,00E-07	1,00 ^E -07
	TESC	Hs.525709	745490	1,00E-07	1,00 ^E -07
	TIMP1	Hs.522632	162246	1,00E-07	1,00 ^E -07
	MGAT3	Hs.276808	731060	1,00E-07	8,00 ^E -07
	MDK	Hs.82045	309009	2,00E-07	1,00 ^E -07
	BID	Hs.591054	128065	6,00E-07	1,00 ^E -07
	NRIP1	Hs.155017	38775	6,00E-07	1,00 ^E -07
	COL8A2	Hs.353001	486204	1,00E-06	1,00 ^E -07
	MRC2	Hs.7835	235882	1,60E-06	9,00 ^E -07
	STAT1	Hs.699271	110101	2,10E-06	1,00 ^E -07
	ARMCX3	Hs.592225	251452	2,40E-06	1,00 ^E -07
	LAMB3	Hs.497636	1103402	9,90E-06	1,00 ^E -07
	CD55	Hs.527653	627107	1,30E-05	1,00 ^E -07
	DUS4L	Hs.97627	726904	1,00E-07	1,00 ^E -07
	ESRRG	Hs.444225	44064	1,00E-07	1,00 ^E -07
	ISG20	Hs.459265	740604	1,00E-07	1,00 ^E -07
	ROR2	Hs.644776	1089025	1,00E-07	1,00 ^E -07
	S100A11	Hs.417004	143957	1,00E-07	1,00 ^E -07

Table 5. Cont.

Cluster	Symbol	UGCluster	Clone ID	P-value	P-value
				(Fontaine et al. 2008)	(Giordano et al. 2006)
5	SEMA4D	Hs.655281	210587	1,00E-07	1,00 ^E -07
5	CD58	Hs.34341	2103105	1,00E-07	2,00 ^E -07
5	IRF9	Hs.1706	724588	1,10E-06	3,20 ^E -06
5	MCOLN1	Hs.631858	726156	2,00E-06	2,00 ^E -07
5	ITGB7	Hs.654470	1337232	1,09E-05	2,90 ^E -06

doi:10.1371/journal.pone.0007632.t005

surrounding tissue [41]. As our FTA samples were mostly nonfunctioning nodules, we postulate that this difference in protein level may be due to the histological class studied, macrofollicular adenomas in the Fontaine dataset, as opposed to the mix of follicular adenomas and adenomatous nodules in the other study. While all these markers can be used to complement current markers [42], the exploration of a large panel of protein markers to improve the differential diagnosis may rapidly become more cumbersome and less relevant than the study of the expression profile of selected genes, especially in the case of suspicious nodular thyroid lesions.

In conclusion, diagnostic tools defined on the basis of thyroid microarray data are more relevant when many samples and tissue classes are used, especially with the inclusion of oncocytic tumors. Our study has revealed additional potentially useful gene and protein markers allowing the classification of several thyroid pathologies. However, to identify early events of transformation, these markers should be viewed in the context of the biological processes in which they participate. We therefore believe that dedicated gene-expression profiling offers the most powerful method of identifying gene groups that correlate to nodular growth, thyroid dedifferentiation or malignancy, taking into account the potential contamination by other cell types such as activated lymphocytes. In this context, the molecular classification of microfollicular adenomas on fine needle aspiration biopsies should have a direct impact in the management of such tumors.

Materials and Methods

Samples and microarray datasets

We analyzed gene-expression data from six microarray datasets containing up to 12 classes of differentiated thyroid pathologies and normal thyroid tissue. The FTA samples were divided into two subclasses according to their follicular architecture, FTA (macrofollicular) and FTAb (microfollicular). The dominant nodule within the multinodular goiter (MNG) was investigated to explore the incidence of genetic or environmental events on the molecular signature of the class of follicular adenoma. When possible, the FTC class was also divided into two subclasses, FTC+ and FTC-, defined respectively by the presence or absence of the PAX8/PPAR7 translocation in the samples. Atypical (TUM) and oncocytic features (OT) were individualized on criteria specified elsewhere [15,20]. We also explored non-tumoral lesions such as those in Graves' disease (GD) and autoimmune thyroiditis (AT) to identify the immunological environment of the tumoral samples. This study is based on the Fontaine dataset generated by our laboratory, which comprises 12 subclasses containing a total of 166 anonymized human thyroid tissues. The five other datasets, particularly the Giordano dataset with 7 subclasses, were used to cross-validate the results of the molecular classification, the classifiers, and the functional analysis of differential genes [5,43–45]. One dataset (Reyes *et al.*) has not yet associated citation. Details of the six datasets, containing a total of 347 samples, are summarized in Table 1.

The Fontaine and the Giordano datasets are referred as the main datasets. All the datasets, generated by various microarray platforms (Table 1), are publicly available. The Fontaine dataset (GSE6339), the He dataset (GSE3467) and the Reyes dataset (GSE3678) are hosted by the Gene Expression Omnibus (GEO) database of the U.S. National Center for Biotechnology Information. The Weber dataset was downloaded from European Bioinformatics Institute ArrayExpress database (E-MEXP-97). The two other datasets were downloaded from the authors' websites: the Giordano dataset (http://dot.ped.med.umich.edu:2000/pub/PPARG/index.html) and the Jarzab dataset (http://www.genomika.pl/thyroidcancer/PTCCancerRes.html).

Data analysis

For the Fontaine dataset generated in our laboratory, hierarchical clustering of the data was computed on logtransformed, median gene-centered and normalized data as described elsewhere [15]. Normalized data from the Giordano and Jarzab datasets were downloaded from the authors' websites. For the remaining datasets, raw data were downloaded from the GEO or Array Express databases and normalized with BRB Array Tools v3.7.0b1 developed by Dr. Richard Simon. Since the data originated from three different but one-color platforms, global normalization to the median was used to center the geneexpression values in each array. Genes showing minimal variation across the set of arrays were excluded from the analysis (logintensity variation P-value>0.15). Hierarchical clustering was done on centered genes by using the centered correlation distance and an average linkage method. Robustness and discrepancy indices were computed from 10,000 data perturbations.

For the two largest datasets [5,15], we identified genes that were differentially expressed among the classes by using a multivariate 10,000-permutation test, to provide 95% confidence that the number of false discoveries did not exceed 1. Although F-statistics were used for each gene, the multivariate permutation test is non-parametric and does not require the assumption of Gaussian distributions. Functional enrichments in gene clusters were defined at 5% risk for Level 3 Gene Ontology terms by Fatigo tools (adjusted P-values, www.fatigo.bioinfo.cipf.es [46]) as compared to the whole genome, and for canonical pathways by Ingenuity Pathway Analysis tools as compared to the Ingenuity Pathways Knowledge database (www.ingenuity.com).




Figure 4. Gene expression of selected markers. Differential expression of 12 genes measured by real-time quantitative RT-PCR on 32 new follicular thyroid tumors (8 FTA, 8 FTAb, 8 OTA and 8 FTC). The upper and the lower limits of each box represent the upper and the lower quartiles, respectively. The bold lines represent medians. The expression of ADAMTS2, CABIN1, ADLH1A3, USP13, NR2F2, KRTHB5, CASP10, CDH16, CLGN, CRABP1, HMGB2 and ALPL2 genes was referred to the β-globin expression level. Significances of differential expression between the classes were assessed by t-tests and those over the classes by F-tests. FTA: macrofollicular thyroid adenoma; FTAb: microfollicular thyroid adenoma; FTC: follicular thyroid carcinoma; and OTA: oncocytic thyroid adenoma. doi:10.1371/journal.pone.0007632.g004




Figure 5. Protein expression of selected genes. The protein expression of six selected differential genes was measured on 49 new tissue samples. These independent samples represent six tissue classes that are common to the two main datasets (WT, PTC, FTA, FTC, OTA, and OTC). The AT class was added to compare the expression levels with a non-tumoral lesion. Seven samples were used for each class. Protein expression profiles of APOD, CLGN, SDHA, APOE, CRABP1 and TIMP1 are shown by box-plots for the different classes of tissue. Significances of differential expression over the classes were assessed by F-tests. P-values are shown between brackets. WT: wild type tissue; PTC: papillary thyroid carcinoma; FTA: macrofollicular thyroid adenoma; FTC: follicular thyroid carcinoma; OTA: oncocytic thyroid adenoma; and OTC: oncocytic thyroid carcinoma. doi:10.1371/journal.pone.0007632.q005

Classifiers were defined for each pathological class and trained either *versus* the wild type class (binary training) or the entire dataset (complete training). Twenty genes were selected by the Greedy Pairs algorithm, and Diagonal Linear Discriminant Analysis (DLDA) was used for training and sample [47]. Intra- and inter-dataset cross-validations were done by the 0.632+ method and DLDA respectively [48]. Since the classical accuracy coefficient is biased in large datasets containing unbalanced class sizes, we preferred to use the positive accuracy coefficient defined as the geometric mean of the sensitivity (i.e. the proportion of true positives in the samples belonging to the targeted class in the entire datasets) and the positive predictive value (i.e. the proportion of true positives in the samples belonging to the targeted class) [49].

Quantitative RT-PCR analysis

An independent set of 32 follicular tumors, comprising 8 minimally invasive FTC and 24 follicular adenoma (8 OTA, 8 FTA and 8 FTAb), were subjected to real-time quantitative RT-PCR to test the relevance of several selected markers. The anonymized samples were obtained from the Department of Pathology of the University Hospital of Angers, France.

Total RNA was isolated using the TRIzol reagent (Invitrogen, Paisley, UK). RNA integrity was determined using a Bio-Analyzer 2100 (Agilent Technologies, Waldbronn, Germany). Reverse transcription was performed on 1 μg of RNA with Advantage RT-for-PCR kit (Clontech Laboratory, Palo Alto, CA, USA) following the manufacturer's recommendations. Real-time quantification was performed in a 96-well plate using the IQ SYBR Green supermix and Chromo4 (Biorad, Hercules, CA, USA) with the recommended protocol. Twelve genes were explored for their expression levels: CASP10, CDH16, CLGN, CRABP1, HMGB2, ALPL2, ADAMTS2,

CABIN1, ALDH1A3, USP13, NR2F2 and KRTHB5. Data were normalized to the β -globin expression level. The significance of differential expression between classes was assessed by t-tests and that over the classes by F-tests. The primer sequences used in this study are specified in Table 6.

Detection of mutations and PAX8-PPARG rearrangement

The mutational status for the TSHR, GNAS and NRAS genes was determined for all the FTA and FTAb explored in studies by microarray (26 FTA and 17 FTAb) and RT-PCR (8 FTA and 8 FTAb). DNA was isolated from frozen tissues during the guanidium isothiocvanate procedure (TRIzol Reagent, Invitrogen Life Technologies). Exon 2 of the NRAS gene was amplified using primer sequences described elsewhere [50]. Exons 9 and 10 of the TSH receptor gene, and exons 8 and 9 of the Gs alpha gene were amplified using primer sequences previously specified [51]. PCR were performed on 5 µl DNA with the HotGoldstar DNA polymerase (Eurogentec, Seraing, Belgium) according to the manufacturer's recommendations. Amplified fragments were purified and directly sequenced on a CEQ 8000 apparatus, using the CEO DTCS Quick Start Kit (Beckman Coulter, Fullerton, CA, USA) following the manufacturer's instructions.

The presence of the PAX8-PPARG translocation was evaluated as described elsewhere [52], on the three FTC samples in the microarray study and the eight FTC samples in the RT-PCR study. Quantification, degradation and DNA contamination of RNA were assessed using an RNA 6000 Nano Assay kit (Agilent Technologies, Palo Alto, CA, USA). After reverse transcription, we looked for the translocation in 5 μ l cDNA, using primer sequences previously specified [5] and the HotGoldstar DNA polymerase (Eurogentec, Seraing, Belgium) according to the manufacturer's recommendations.

Table 6. Primer sequences used for real-time quantitative RT-PCR.

Gene	Forward Sequence	Reverse Sequence
ADAMTS2	5'-GGG-AAG-GAG-CAC- GTA-CAG-AA-3'	5'-CGT-GAT-CGT- GGT-ATT-CAT-CG-3'
ALDH1A3	5'-TCT-CGA-CAA- AGC-CCT-GAA-GT-3'	5'-GTC-CGA-TGT- TTG-AGG-AAG-GA-3'
APLP2	5'-GCT-GTC-GTT- CCG-GTT-ATG-TT-3'	5'-GAG-GGT-CTC- TCA-CGT-GCT-TC-3'
CABIN1	5'-AGG-CCC-TGG- AGG-TGT-ACT-TT-3'	5'-CCA-GCT-GAA- GAG-TGG-GAG-TC-3'
CASP10	5'-TCT-CAG-GAT-CAC- TGG-GCT-CT-3'	5'-ATG-AAG-GCG- TTA-ACC-ACA-GG-3'
CDH16	5'-CAA-GTC-ATG-AGG-TGG- TGG-TG-3'	5'-GAT-GGT-CAG- CAG-GAA-AGA-GC-3'
CLGN	5'-CAA-TGG-ACC-TGG- AAG-AGG-AA-3'	5'-TGA-CTT-TAT- CGG-CCC-ATC-TC-3'
CRABP1	5'-CAG-GAC-GGG- GAT-CAG-TTC-TA-3'	5'-CGC-CAA-ACG- TCA-GGA-TAA-GT-3'
HMGB2	5'-AGA-GGC-TGA- GGA-TTG-CGT-TA-3'	5'-GGG-GTC-TCC- TTT-ACC-CAT-GT-3'
KRTHB5	5'-AGC-TCT-CAG- GGA-CAA-GAC-CA-3'	5'-AAC-AGG-TTA- GCC-CAG-AAG-CA-3'
NR2F2	5'-TGC-CTG-TGG- TCT-CTC-TGA-TG-3'	5'-ATA-TCC-CGG- ATG-AGG-GTT-TC-3'
USP13	5'-GAC-CTG-CGA- GAA-AAC-CTC-TG-3'	5'-CAG-GAG-TGA- TGG-TTC-CCA-GT-3'
β-GLOBIN	5'-CAA-CTT-CAT- CCA-CGT-TCA-CC-3'	5'-ACA-CAA-CTG- TGT-TCA-CTA-GC-3'

doi:10.1371/journal.pone.0007632.t006

Dot blot analysis

Two micrograms of protein corresponding to the TRIzol fraction of 49 independent and anonymized thyroid tissues were

References

- Rhodes DR, Yu J, Shanker K, Deshpande N, Varambally R, et al. (2004) Largescale meta-analysis of cancer microarray data identifies common transcriptional profiles of neoplastic transformation and progression. Proc Natl Acad Sci U S A 101: 9309–9314.
- Hundahl SA, Fleming ID, Fremgen AM, Menck HR (1998) A National Cancer Data Base report on 53,856 cases of thyroid carcinoma treated in the U.S., 1985-1995. Cancer 83: 2638–2648.
- Yeh MW, Demircan O, Ituarte P, Clark OH (2004) False-negative fine-needle aspiration cytology results delay treatment and adversely affect outcome in patients with thyroid carcinoma. Thyroid 14: 207–215.
- Lacroix L, Lazar V, Michiels S, Ripoche H, Dessen P, et al. (2005) Follicular thyroid tumors with the PAX8-PPARgammal rearrangement display characteristic genetic alterations. Am J Pathol 167: 223–231.
- Giordano TJ, Au AY, Kuick R, Thomas DG, Rhodes DR, et al. (2006) Delineation, functional validation, and bioinformatic evaluation of gene expression in thyroid follicular carcinomas with the PAX8-PPARG translocation. Clin Cancer Res 12: 1983–1993.
- Barden CB, Shister KW, Zhu B, Guiter G, Greenblatt DY, et al. (2003) Classification of follicular thyroid tumors by molecular signature: results of gene profiling. Clin Cancer Res 9: 1792–1800.
- Nikiforova MN, Lynch RA, Biddinger PW, Alexander EK, Dorn GW, et al. (2003) RAS point mutations and PAX8-PPAR gamma rearrangement in thyroid tumors: evidence for distinct molecular pathways in thyroid follicular carcinoma. J Clin Endocrinol Metab 88: 2318–2326.
- Aldred MA, Huang Y, Liyanarachchi S, Pellegata NS, Gimm O, et al. (2004)
 Papillary and follicular thyroid carcinomas show distinctly different microarray
 expression profiles and can be distinguished by a minimum of five genes. J Clin
 Oncol 22: 3531–3539.
- Huang Y, Prasad M, Lemon WJ, Hampel H, Wright FA, et al. (2001) Gene expression in papillary thyroid carcinoma reveals highly consistent profiles. Proc Natl Acad Sci U S A 98: 15044–15049.

spotted onto nitrocellulose membranes at room temperature, using a Dot Blot apparatus (Biorad, Hercules, CA, USA) following the manufacturer's recommendations. These tissues, provided by the Department of Pathology of the University Hospital of Angers, differed from those used for the microarray and RT-PCR studies. Six groups of thyroid pathologies were defined according to WHO cytological criteria: AT, FTA, FTC, PTC, OTA and OTC and compared to normal thyroid tissue (WT). Seven samples were tested from each group and the assays were performed in duplicate. Seven primary antibodies (all from Abcam, Cambridge, UK) were used at specific dilutions: 1/750 for TIMP1, 1/1000 for APOD, SDHA, CLGN, CRABP1 and APOE, and 1/5000 for α tubulin as a control. Peroxidase anti-rabbit or anti-mouse secondary antibodies were revealed using the ECL Plus reagent kit (ECL, Amersham, Chalfont, UK). Spots were quantified on a GelDoc XRS apparatus using Quantity One software (Biorad) and expressed in terms of the control value. Significances of differential expression over the classes were assessed by F-tests.

Acknowledgments

We thank Dominique Couturier and Anne Coutoleau for technical help. We thank Marja Steenman and Kanaya Malkani for the critical reading of this paper.

Author Contributions

Conceived and designed the experiments: RH FS. Performed the experiments: DMP BF ST MM. Analyzed the data: JFF MR FS. Contributed reagents/materials/analysis tools: DMP PR OGB LKT YM FS. Wrote the paper: JFF BF FS.

- Jarzab B, Wiench M, Fujarewicz K, Simek K, Jarzab M, et al. (2005) Gene expression profile of papillary thyroid cancer: sources of variability and diagnostic implications. Cancer Res 65: 1587–1597.
- Weber F, Shen L, Aldred MA, Morrison CD, Frilling A, et al. (2005) Genetic classification of benign and malignant thyroid follicular neoplasia based on a three-gene combination. J Clin Endocrinol Metab 90: 2512–2521.
- Eszlinger M, Wiench M, Jarzab B, Krohn K, Beck M, et al. (2006) Meta- and reanalysis of gene expression profiles of hot and cold thyroid nodules and papillary thyroid carcinoma for gene groups. J Clin Endocrinol Metab 91: 1934–1942.
- Griffith OL, Melck A, Jones SJ, Wiseman SM (2006) Meta-analysis and meta-review of thyroid cancer gene expression profiling studies identifies important diagnostic biomarkers. J Clin Oncol 24: 5043–5051.
- Finley DJ, Zhu B, Fahey TJ, III (2004) Molecular analysis of Hurthle cell neoplasms by gene profiling. Surgery 136: 1160–1168.
- Fontaine JF, Mirebeau-Prunier D, Franc B, Triau S, Rodien P, et al. (2008) Microarray analysis refines classification of non-medullary thyroid tumours of uncertain malignancy. Oncogene 27: 2228–2236.
- Stolf BS, Abreu CM, Mahler-Araujo MB, Dellamano M, Martins WK, et al. (2005) Expression profile of malignant and non-malignant diseases of the thyroid gland reveals altered expression of a common set of genes in goiter and papillary carcinomas. Cancer Lett 227: 59–73.
- Yukinawa N, Oba S, Kato K, Taniguchi K, Iwao-Koizumi K, et al. (2006) A multi-class predictor based on a probabilistic model: application to gene expression profiling-based diagnosis of thyroid tumors. BMC Genomics 7: 190.
- Eszlinger M, Krohn K, Hauptmann S, Dralle H, Giordano TJ, et al. (2008) Perspectives for improved and more accurate classification of thyroid epithelial tumors. J Clin Endocrinol Metab 93: 3286–3294.
- Corvilain B, Van SJ, Dumont JE, Vassart G (2001) Somatic and germline mutations of the TSH receptor and thyroid diseases. Clin Endocrinol (Oxf) 55: 143–158

- Baris O, Savagner F, Nasser V, Loriod B, Granjeaud S, et al. (2004) Transcriptional profiling reveals coordinated up-regulation of oxidative metabolism genes in thyroid oncocytic tumors. J Clin Endocrinol Metab 89: 994–1005.
- 21. Wasenius VM, Hemmer S, Kettunen E, Knuutila S, Franssila K, et al. (2003) Hepatocyte growth factor receptor, matrix metalloproteinase-11, tissue inhibitor of metalloproteinase-1, and fibronectin are up-regulated in papillary thyroid carcinoma: a cDNA and tissue microarray study. Clin Cancer Res 9: 68–75.
- Franc B, de la SP, Lange F, Hoang C, Louvel A, et al. (2003) Interobserver and intraobserver reproducibility in the histopathology of follicular thyroid carcinoma. Hum Pathol 34: 1092–1100.
- Lloyd RV, Erickson LA, Casey MB, Lam KY, Lohse CM, et al. (2004) Observer variation in the diagnosis of follicular variant of papillary thyroid carcinoma. Am J Surg Pathol 28: 1336–1340.
- Ao A, Wang H, Kamarajugadda S, Lu J (2008) Involvement of estrogen-related receptors in transcriptional response to hypoxia and growth of solid tumors. Proc Natl Acad Sci U S A 105: 7821–7826.
- Sierra JR, Corso S, Caione L, Cepero V, Conrotto P, et al. (2008) Tumor angiogenesis and progression are enhanced by Sema4D produced by tumorassociated macrophages. J Exp Med 205: 1673–1685.
- Taylor KL, Leaman DW, Grane R, Mechti N, Borden EC, et al. (2008) Identification of interferon-beta-stimulated genes that inhibit angiogenesis in vitro. I Interferon Cytokine Res 28: 733–740.
- Nikiforova MN, Tseng GC, Steward D, Diorio D, Nikiforov YE (2008) MicroRNA expression profiling of thyroid tumors: biological significance and diagnostic utility. J Clin Endocrinol Metab 93: 1600–1608.
- Nucera C, Mazzon E, Caillou B, Violi MA, Moleti M, et al. (2005) Human galectin-3 immunoexpression in thyroid follicular adenomas with cell atypia. J Endocrinol Invest 28: 106–112.
- Fukumori T, Oka N, Takenaka Y, Nangia-Makker P, Elsamman E, et al. (2006)
 Galectin-3 regulates mitochondrial stability and antiapoptotic function in response to anticancer drug in prostate cancer. Cancer Res 66: 3114–3119.
- Savin S, Cvejic D, Isic T, Paunovic I, Tatic S, et al. (2008) Thyroid peroxidase and galectin-3 immunostaining in differentiated thyroid carcinoma with clinicopathologic correlation. Hum Pathol in press.
- Schmid KW, Farid NR (2006) How to define follicular thyroid carcinoma?.
 Virchows Arch 448: 385–393.
- Wattel S, Mircescu H, Venet D, Burniat A, Franc B, et al. (2005) Gene expression in thyroid autonomous adenomas provides insight into their physiopathology. Oncogene 24: 6902–6916.
- Carinci F, Lo ML, Piattelli A, Rubini C, Chiesa F, et al. (2005) Potential markers of tongue tumor progression selected by cDNA microarray. Int J Immunopathol Pharmacol 18: 513–524.
- Porter S, Scott SD, Sassoon EM, Williams MR, Jones JL, et al. (2004)
 Dysregulated expression of adamalysin-thrombospondin genes in human breast carcinoma. Clin Cancer Res 10: 2429–2440.
- Watanabe T, Kobunai T, Sakamoto E, Yamamoto Y, Konishi T, et al. (2009) Gene expression signature for recurrence in stage III colorectal cancers. Cancer 115: 283–292.

- Soiland H, Soreide K, Janssen EA, Korner H, Baak JP, et al. (2007) Emerging concepts of apolipoprotein D with possible implications for breast cancer. Cell Oncol 29: 195

 –209.
- Netea-Maier RT, Hunsucker SW, Hoevenaars BM, Helmke SM, Slootweg PJ, et al. (2008) Discovery and validation of protein abundance differences between follicular thyroid neoplasms. Cancer Res 68: 1572–1580.
- Delys L, Detours V, Franc B, Thomas G, Bogdanova T, et al. (2007) Gene expression and the biological phenotype of papillary thyroid carcinomas. Oncogene 26: 7894–7903.
- Hawthorn L, Stein L, Varma R, Wiseman S, Loree T, et al. (2004) TIMP1 and SERPIN-A overexpression and TFF3 and CRABP1 underexpression as biomarkers for papillary thyroid carcinoma. Head Neck 26: 1069–1083.
- Huang Y, de la CA, Pellegata NS (2003) Hypermethylation, but not LOH, is associated with the low expression of MT1G and CRABP1 in papillary thyroid carcinoma. Int J Cancer 104: 735–744.
- Eszlinger M, Krohn K, Berger K, Lauter J, Kropf S, et al. (2005) Gene expression analysis reveals evidence for increased expression of cell cycleassociated genes and Gq-protein-protein kinase C signaling in cold thyroid nodules. J Clin Endocrinol Metab 90: 1163–1170.
- Barroeta JE, Baloch ZW, Lal P, Pasha TL, Zhang PJ, et al. (2006) Diagnostic value of differential expression of CK19, Galectin-3, HBME-1, ERK, RET, and p16 in benign and malignant follicular-derived lesions of the thyroid: an immunohistochemical tissue microarray analysis. Endocr Pathol 17: 225–234.
- He H, Jazdzewski K, Li W, Liyanarachchi S, Nagy R, et al. (2005) The role of microRNA genes in papillary thyroid carcinoma. Proc Natl Acad Sci U S A 102: 19075–19080.
- Jarzab B, Wiench M, Fujarewicz K, Simek K, Jarzab M, et al. (2005) Gene expression profile of papillary thyroid cancer: sources of variability and diagnostic implications. Cancer Res 65: 1587–1597.
- Weber F, Shen L, Aldred MA, Morrison CD, Frilling A, et al. (2005) Genetic classification of benign and malignant thyroid follicular neoplasia based on a three-gene combination. J Clin Endocrinol Metab 90: 2512–2521.
- Al-Shahrour F, Minguez P, Vaquerizas JM, Conde L, Dopazo J (2005) BABELOMICS: a suite of web tools for functional annotation and analysis of groups of genes in high-throughput experiments. Nucleic Acids Res 33: W460–W464.
- 47. Dudoit S, Fridlyand J (2002) A prediction-based resampling method for estimating the number of clusters in a dataset. Genome Biol 3: 1–21.
- Efron B, Tibshirani R (1997) Improvments of cross-validation: the.632+ bootstrap method. 92: 548–560.
- Kubat M (1998) Decision trees can initialize radial-basis function networks. IEEE Trans Neural Netw 9: 813–821.
- Vasko V, Ferrand M, Di CJ, Carayon P, Henry JF, et al. (2003) Specific pattern of RAS oncogene mutations in follicular thyroid tumors. J Clin Endocrinol Metab 88: 2745–2752.
- Bourasseau I, Savagner F, Rodien P, Duquenne M, Reynier P, et al. (2000) No evidence of thyrotropin receptor and G(s alpha) gene mutation in high iodine uptake thyroid carcinoma. Thyroid 10: 761–765.
- Kroll TG, Sarraf P, Pecciarini L, Chen CJ, Mueller E, et al. (2000) PAX8-PPARgammal fusion oncogene in human thyroid carcinoma. Science 289: 1357 1360