

**eTable 10: Results of network meta-analyses (stratified by level of certainty of sCJD diagnosis) excluding RT-QuIC data from one study that used the first-generation assay (PQ-CSF)**

	Definite, probable, or possible sCJD			Definite or probable sCJD			Definite sCJD		
Biomarker	Sensitivity (95% CI†)	Specificity (95% CI†)	Accuracy	Sensitivity (95% CI†)	Specificity (95% CI†)	Accuracy	Sensitivity (95% CI†)	Specificity (95% CI†)	Accuracy
RT-QuIC	0.93 (0.87, 0.96)	0.96 (0.87, 0.99)	0.94	0.93 (0.86, 0.96)	0.96 (0.87, 0.99)	0.94	0.91 (0.83, 0.96)	0.96 (0.85, 1.00)	0.93
p-tau181/t-tau	0.91 (0.79, 0.98)	0.84 (0.58, 0.96)	0.88	0.91 (0.76, 0.98)	0.84 (0.59, 0.96)	0.88	0.90 (0.73, 0.98)	0.83 (0.58, 0.96)	0.88
t-tau/Aβ42	0.86 (0.64, 0.97)	0.82 (0.47, 0.98)	0.84	0.87 (0.63, 0.98)	0.83 (0.48, 0.97)	0.85	0.86 (0.60, 0.98)	0.82 (0.46, 0.97)	0.84
14-3-3γ	0.87 (0.76, 0.95)	0.80 (0.58, 0.92)	0.83	0.86 (0.74, 0.94)	0.79 (0.59, 0.93)	0.83	0.88 (0.72, 0.96)	0.75 (0.47, 0.92)	0.82
t-tau	0.88 (0.84, 0.91)	0.77 (0.66, 0.86)	0.82	0.88 (0.84, 0.91)	0.76 (0.63, 0.85)	0.82	0.87 (0.81, 0.92)	0.72 (0.58, 0.82)	0.80
S100B	0.77 (0.64, 0.89)	0.81 (0.58, 0.94)	0.79	0.75 (0.55, 0.90)	0.85 (0.63, 0.95)	0.80	0.74 (0.53, 0.91)	0.84 (0.59, 0.95)	0.79
14-3-3β	0.88 (0.84, 0.92)	0.69 (0.58, 0.79)	0.79	0.89 (0.83, 0.92)	0.69 (0.57, 0.79)	0.79	0.89 (0.84, 0.93)	0.69 (0.57, 0.79)	0.79
NSE	0.71 (0.50, 0.88)	0.85 (0.52, 0.99)	0.78						
NfL	0.94 (0.80, 0.99)	0.46 (0.17, 0.80)	0.70	0.93 (0.74, 0.99)	0.46 (0.15, 0.80)	0.70	0.92 (0.72, 0.99)	0.45 (0.15, 0.79)	0.69

CI: Confidence interval