




















Competency-based cardiac imaging for patient-centred care. A statement of the European Society of Cardiology (ESC). With the contribution of the European Association of Cardiovascular Imaging (EACVI), and the support of the Association of Cardiovascular Nursing & Allied Professions (ACNAP), the Association for Acute Cardiovascular Care (ACVC), the European Association of Preventive Cardiology (EAPC), the European Association of Percutaneous Cardiovascular Interventions (EAPCI), the European Heart Rhythm Association (EHRA), and the Heart Failure Association (HFA) of the ESC

Mark Westwood^{1,2}, Ana G. Almeida ³, Emanuele Barbato⁴, Victoria Delgado ^{5,6}, Santo Dellegrottaglie ⁷, Kevin F. Fox⁸, Luna Gargani ⁹, Kurt Huber ^{10,11}, Pál Maurovich-Horvat ¹², Jose L. Merino ¹³, Richard Mindham ¹⁴, Denisa Muraru ^{15,16}, Lis Neubeck ¹⁷, Robin Nijveldt ¹⁸, Michael Papadakis ^{19,20}, Gianluca Pontone ^{21,22}, Susanna Price ^{8,23}, Giuseppe M.C. Rosano²⁴, Alexia Rossi ²⁵, Leyla Elif Sade ²⁶, Jeanette Schulz-Menger ^{27,28}, Franz Weidinger²⁹, Stephan Achenbach ³⁰, and Steffen E. Petersen ^{1,2*}

¹William Harvey Research Institute, Queen Mary University of London, Charterhouse Square, London EC1M 6BQ, United Kingdom; ²Barts Heart Centre, Barts Health NHS Trust, West Smithfield, London EC1A 7BE, United Kingdom; ³Heart and Vessels Department, University Hospital Santa Maria, Faculty of Medicine of Lisbon University, Lisbon, Portugal; ⁴Department of Clinical and Molecular Medicine, Sapienza University of Rome, Rome, Italy; ⁵Cardiovascular Imaging, Department of Cardiology, Hospital University Germans Trias i Pujol, Badalona, Spain; ⁶Centre de Medicina Comparativa i Bioimatge (CMCIB), Badalona, Spain; ⁷Advanced Cardiovascular Imaging Unit, Clinica Villa dei Fiori Acerra, Naples, Italy; ⁸National Heart and Lung Institute, Imperial College, London, United Kingdom; ⁹Department of Surgical, Medical and Molecular Pathology and Critical Care Medicine, University of Pisa, Pisa, Italy; ¹⁰3rd Department of Internal Medicine, Cardiology and Intensive Care Medicine, Clinic Ottakring (Wilhelminenhospital), Vienna, Austria; ¹¹Medical School, Sigmund Freud University, Vienna, Austria; ¹²Department of Radiology, Medical Imaging Centre, Semmelweis University, Budapest, Hungary; ¹³Cardiology Department, La Paz University Hospital, Universidad Autonoma, IdiPaz, Madrid, Spain; ¹⁴ESC Patient Forum, Sophia Antipolis, France; ¹⁵Department of Cardiology, Istituto Auxologico Italiano, IRCCS, Milan, Italy; ¹⁶Department of Medicine and Surgery, University of Milano-Bicocca, Milan, Italy; ¹⁷School of Health and Social Care, Edinburgh Napier University, Edinburgh, United Kingdom; ¹⁸Cardiology Department, Radboud University Medical Center, Nijmegen, The Netherlands; ¹⁹Cardiovascular Clinical Academic Group, St. George's, University of London, London, United Kingdom; ²⁰St. George's University Hospitals NHS Foundation Trust, London, United Kingdom; ²¹Department of Perioperative Cardiology and Cardiovascular Imaging, Centro Cardiologico Monzino IRCCS, Milan, Italy; ²²Department


of Biomedical, Surgical and Dental Sciences, University of Milan, Milan, Italy;²³Cardiology and Critical Care, Royal Brompton & Harefield Hospitals, Part of GSTT NHS Foundation Trust, London, United Kingdom; ²⁴Department of Medical Sciences, IRCCS San Raffaele Roma, Roma, Italy; ²⁵Department of Nuclear Medicine, University Hospital Zurich, Zurich, Switzerland; ²⁶Cardiology Department, University of Pittsburgh Medical Center, Heart and Vascular Institute, Pittsburgh, PA, USA; ²⁷Cardiology, WG CMR, Outpatient Research Department, Charité, University Medicine Berlin, Berlin, Germany; ²⁸Cardiology Department, Helios Clinics Berlin-Buch, Berlin, Germany; ²⁹2nd Department of Medicine with Cardiology and Intensive Care Medicine Vienna Healthcare Group Clinic Landstraße, Vienna, Austria; and ³⁰Friedrich-Alexander-Universität Erlangen-Nürnberg, Department of Cardiology, University Hospital Erlangen, Erlangen, Germany

Received 23 June 2023; revised 31 July 2023; accepted 21 August 2023; online publish-ahead-of-print 19 September 2023

Abstract

Imaging plays an integral role in all aspects of managing heart disease and cardiac imaging is a core competency of cardiologists. The adequate delivery of cardiac imaging services requires expertise in both imaging methodology—with specific adaptations to imaging of the heart—as well as intricate knowledge of heart disease. The European Society of Cardiology (ESC) and the European Association of Cardiovascular Imaging have developed and implemented a successful education and certification programme for all cardiac imaging modalities. This programme equips cardiologists to provide high quality competency-based cardiac imaging services ensuring they are adequately trained and competent in the entire process of cardiac imaging, from the clinical indication via selecting the best imaging test to answer the clinical question, to image acquisition, analysis, interpretation, storage, repository, and results dissemination. This statement emphasizes the need for competency-based cardiac imaging delivery which is key to optimal, effective and efficient, patient care.

Graphical Abstract



Left top: Increasing demand for non-invasive cardiovascular imaging as illustrated for England. Data are challenging to collect across Europe, but trends would be expected to be similar in many European countries. Bottom left: Longstanding history of cardiovascular imaging in the management of cardiovascular disease. Right: Components driving competency-based cardiac imaging offered by the European Society of Cardiology and the European Association of Cardiovascular Imaging of the ESC.

Keywords Competency-based cardiac imaging • Echocardiography • Cardiac computed tomography • Cardiovascular magnetic resonance • Nuclear cardiology

* Corresponding author. Tel: +44 (0) 20 7882 6902, Email: s.e.petersen@qmul.ac.uk

This article has been co-published with permission in the *European Heart Journal*, *European Heart Journal – Cardiovascular Imaging*, and *European Heart Journal – Imaging Methods and Practice*. © 2023 the European Society of Cardiology

The articles are identical except for minor stylistic and spelling differences in keeping with each journal's style. Either citation can be used when citing this article.

This is an Open Access article distributed under the terms of the Creative Commons Attribution-NonCommercial-NoDerivs licence (<https://creativecommons.org/licenses/by-nc-nd/4.0/>), which permits non-commercial reproduction and distribution of the work, in any medium, provided the original work is not altered or transformed in any way, and that the work is properly cited. For commercial re-use, please contact journals.permissions@oup.com

The integral role of cardiac imaging in cardiology

Non-invasive and invasive imaging of the heart is central to diagnosis, risk assessment, therapeutic decision-making, medical and invasive therapies, prognosis, and long-term monitoring in Cardiology. Cardiac imaging is thus central in striving for precision medicine, the essence of which is the provision of individualized care to each and every patient. Examples of such imaging performed by cardiologists include: (i) invasive coronary angiography and cardiac computed tomography (CCT); (ii) cardiovascular magnetic resonance (CMR); (iii) echocardiography; (iv) nuclear cardiology; and (v) advanced invasive imaging (optical coherence tomography and intracardiac echocardiography). For all these imaging modalities we highlight the importance of an in-depth understanding of cardiovascular pathology, complex physiology, and the consequences of imaging findings in the management of cardiovascular health and disease.

Cardiologists and cardiac imaging core competencies

Imaging is a core competency of all cardiologists, with echocardiography and coronary angiography (both invasive and non-invasive) an important aspect of training and firmly embedded in mainstream cardiology practice. In the core cardiology curriculum applicable to all cardiologists, the European Association of Cardiovascular Imaging (EACVI) was integral to the development of all imaging capabilities and standards which are used to train cardiologists who are then formally assessed by the European Examination in Core Cardiology.

Cardiologists consider disease process, pathology, and management options rather than purely the individual imaging modality, placing them in a unique position to select the most appropriate imaging test for each specific clinical scenario, taking patient preference into account.

Imaging expertise alone is not sufficient for patient management

Accurate, efficient, and effective cardiac imaging requires not only intricate knowledge of imaging modalities, and the adaptations that are required to optimize imaging protocols to the physiological condition of each individual patient, but also of the rapidly changing field of cardiovascular medicine.

For decades, cardiologists have independently performed invasive and non-invasive imaging modalities from ultrasound (transthoracic and transoesophageal echocardiography) to x-ray-based angiography (invasive cardiac and coronary angiography and intervention), which has significantly contributed to the improved management of cardiovascular diseases and outcomes. Cardiologists are uniquely placed to naturally integrate into their clinical practice computed tomography (CT) and CMR which complement their existing anatomical (invasive angiography) and functional (echocardiography) imaging tests.

Translational research in cardiac imaging leading to a paradigm shift in cardiovascular clinical practice has been driven predominantly by cardiologists including roles in image interpretation and quality control in core labs, and participation in commercial trials.¹ Examples of investigator-led research relevant to chronic coronary syndromes include the ISCHEMIA trial,² the SCOT-HEART trial,³ the MR-INFORM

trial,⁴ and the DISCHARGE trial.⁵ The results of these trials have transformed cardiovascular medicine practice within the last years.

The portfolio of up-to-date clinical practice guidelines and clinical consensus statements for the diagnosis and management of cardiovascular disease published by the European Society of Cardiology (ESC) and EACVI are used by millions of practitioners worldwide. These documents, written by cardiovascular practitioners for cardiovascular practitioners, include recommendations on which cardiac imaging modality to choose, what to expect from the report, and how to act on relevant findings. Cardiologists are fully trained and competent to produce information for patients undergoing the examination and preparation involved, to supervise patients' preparation on the day of the test, and to consent patients to the test (including stress tests and CMR in patients with cardiac devices). Imaging cardiologists are trained in image acquisition, image post-processing and reconstruction, and image interpretation. Thanks to their in-depth knowledge of cardiovascular physiology and pathology, cardiologists are uniquely positioned to produce a clinically meaningful cardiac imaging report with adequate description and interpretation of the findings that the referring physician (cardiologists in most cases) can act upon. Cardiologists reporting imaging are also well-positioned to provide clinical advice on further additional testing (e.g. genetic testing or myocardial biopsy) or initiation of therapy (such as revascularization or cardiac device implantation).

Similarly, the treatment of patients with structural heart disease continues to expand cardiology practice. Structural heart interventions depend on imaging which is central to pre-, peri-, and post-procedural management to balance procedural risk and appropriate patient selection. Importantly, imaging and imaging results must often be immediately available (e.g. in the context of complications) or are integrated into the procedure itself. Without this in-depth knowledge of the fast-changing field of cardiovascular medicine, even expert cardiac imagers would not provide the highest quality services. The core principles of competency are effectiveness, efficiency, equity, patient-centredness, safety, and timeliness (*Table 1*). They apply to all imaging modalities. They need to be adapted to each individual patient to be safe and effective, with particular attention to patient heart rate and rhythm in order to be safe, which is key for the delivery of value-based cardiac imaging. Examples include exercise or pharmacologically induced stress imaging (echocardiography, CMR, nuclear cardiology, CT perfusion), ensuring low radiation exposure and high image quality using beta-blockers for CCT, emergency indications for cardiac imaging, such as suspected pulmonary embolism, aortic dissection, acute and severe mitral valve regurgitation after myocardial infarction.

Cardiologists can also capitalize on their intricate knowledge and experience in cardiovascular pharmacology, from the prescription and administration of beta-blockers, vasodilator stress agents, including indication and contraindications on the use of these drugs during cardiac imaging tests, as well as extensive experience in advanced life support in case of cardiac and respiratory arrest, thus significantly improving patients' safety. Many cardiology imaging services and the imaging training offered are dependent on cardiologists and have been developed by cardiologists, either in conjunction with other specialties (such as radiology) or as stand-alone departments.

The demand for cardiac imaging is increasing (*Figure 1*) and in many countries, there is a need to train more individuals to provide high-quality cardiac imaging services to meet this demand.⁶ The combination of imaging and cardiology expertise is essential not only for the optimal application of imaging tests but also for the appropriate interpretation of cardiac imaging findings. Echocardiography is the most frequently performed cardiac imaging test (*Table 2*) and is firmly embedded within

Table 1 Principles driving competency-based imaging in cardiology

Effective	<ul style="list-style-type: none"> • By leading rapidly evolving scientific evidence and integrating with clinical findings, genetics, and phenocopies to derive a precise diagnosis. • By integrating imaging into disease monitoring to adapt outcome-directed therapies, such as in cardio-oncology, and to safe drug delivery, such as in septal ablation and in complex cardiac conditions.
Efficient	<ul style="list-style-type: none"> • By applying critical modifications of imaging protocols tailored to the patients' clinical condition. • By judicious and appropriate use of safe and effective manoeuvres for haemodynamic provocation to optimize precision of the investigation.
Equitable	<ul style="list-style-type: none"> • By providing health care of equal quality to those who may differ in personal characteristics and clinical condition by optimizing and tailoring safe and efficient examinations to reconcile this variability to obtain the most accurate and precise results.
Patient-centred	<ul style="list-style-type: none"> • By meeting patients' needs and preferences and providing education to improve compliance.
Safe	<ul style="list-style-type: none"> • By predicting procedure-specific complications, recognizing immediate periprocedural complications and treating them, ensuring safe use of adjunctive medications for investigations such as betablockers, antiarrhythmics, antihypertensives, and by considering the potential radiation burden of some imaging examinations.
Timely	<ul style="list-style-type: none"> • By minimizing delays and prioritizing imaging based on disease severity.




Figure 1 Increasing demand for non-invasive cardiovascular imaging as illustrated for England. Data are challenging to collect across Europe, but trends would be expected to be similar in many European countries. From Petersen et al.⁶

cardiology services independent of service size, scope (hospitals for secondary, tertiary, or quaternary care), and setting (inpatient/outpatient). Furthermore, this makes echocardiography practical in many settings such as rapid assessment of response to treatments, screening of family members, and general assessment of the patients' overall cardiological condition. Cardiology is both central and integral to cardiac imaging, and while collaboration with cardiac radiologists and nuclear cardiology physicians can be useful and is encouraged, it is not essential as long as the required expertise is covered by the imaging cardiologist, which is often the case (Table 2). Many highly successful Cardiology-led departments have been established with reputations for national and international excellence. Where services are conjoint between experts,

there is evidence that this both enhances the quality of care and leads to rapid service growth, such as that seen in CCT in the United States of America.

EACVI certification programme to deliver high quality and equal access to patient care

To define the scope of practice of clinicians across non-invasive cardiac imaging modalities there is a series of complementary and

Table 2 Invasive and non-invasive cardiovascular imaging activities (example England 2016/17) and responsibilities

	Volume/100 000 population in England 2016/17	Where typically performed	Supervised by	Regulatory Governance	Reported by
Echocardiography	8139 ^a	Cardiology Department/ Outpatient Departments/ wards/emergency rooms, intensive care units	Cardiologist		Cardiologist
Nuclear Cardiology	635 ^a	Radiology or Nuclear Departments with radiation safety capability for isotopes	Cardiac Radiologist/ Nuclear Medicine physician with Isotope safety expertise	Radiation Protection Officer	Cardiac Radiologist/ Nuclear Medicine physician/Imaging Cardiologist
Invasive coronary angiography	397 ^b	Cardiac Catheter Laboratories	Cardiologist	Radiation Safety Officer	Cardiologist
Cardiac computed tomography	300 ^a	Radiology/Cardiology Departments	Cardiac Radiologist/ Imaging Cardiologist	Radiation Safety Officer	Cardiac Radiologist/ Imaging Cardiologist
Cardiovascular magnetic resonance	97 ^a	Radiology/Cardiology Departments	Cardiac Radiologist/ Imaging Cardiologist	Magnetic Field Safety Officer	Cardiac Radiologist/ Imaging Cardiologist

^aCardiac non-invasive imaging activity per 100 000 beneficiary used for NHS in England as reported in Petersen *et al.*⁶

^bDiagnostic invasive coronary angiography activity in 2017 as reported by Timmis *et al.*⁷




Figure 2 The certification offerings by the European Association of Cardiovascular Imaging have broadened over the last 20 years across four imaging modalities. CCT, cardiac computed tomography; CMR, cardiovascular magnetic resonance; Echo, echocardiography; Nuclear, nuclear cardiology. Uptake shows increasing trends now well above one thousand individual certifications per year

integrated curricula and syllabi developed by the EACVI for advanced training in each specific modality.^{8–12} Commencing in 2003 with a single examination for transthoracic echocardiography, the EACVI certification programme now encompasses all four imaging modalities with seven dedicated certification programmes (three for echocardiography, two for CMR, one for CCT, and one for nuclear cardiology). There has been a steady, consistent year-on-year

increase in uptake of these programmes with currently over 1000 candidates annually (Figure 2).

Each certification programme has a specific examination which has evolved over time. From handwritten examinations which were manually marked and graded, these examinations now use a multiple-choice format with well-documented methodology for standard setting and determination of pass marks and pass rates.^{13–16} The examination delivery method




Figure 3 Increasing numbers of candidates taking the European Society of Cardiology core cardiology examination. This examination ensures cardiologists know when and how cardiac imaging can help their patient management (level 1)

has also evolved to a computer-based examination with remote proctoring allowing candidates to take these examinations from any location. This has increased the numbers of candidates but critically maintains examination security. This also maintains consistency with the ESC core cardiology examination with increasing numbers of candidates (Figure 3). It includes a published blueprint, weighting the key components of the curriculum for the examination, question writing and standard-setting groups, and consistent methodology for pass mark determination. The full examination cycle for each of the EACVI examinations replicates the process used for the ESC European Examination in Core Cardiology.¹⁵

With several modalities, there are different levels of certification. The basic level of education is established in level I and focuses on the clinical indications and basic knowledge of the technique and appropriate use following the guidelines of each cardiovascular disease. Level I courses at conferences or local initiatives are secured through central endorsement by the EACVI/ESC and supported throughout Europe and beyond. Also, EACVI has provided a certified online level I course for each of the four modalities since 2022. The advanced levels of certification, levels II and III, further elaborate on theoretical knowledge, but also largely consist of practical education. Level II emphasizes competency to acquire images (including technical considerations), interpret these images, and provide a structured report of salient findings. It is defined as the minimum standard to report independently (Figure 4). Level III requires a wider and more in-depth understanding of the modality including publications and evidence of training others (Figure 5). It also includes other aspects of delivering a full cardiac imaging service. Important parts of the full service include data handling and secure storage, patient safety (particularly for CMR, CCT, and nuclear cardiology), and liaison with the multi-professional team (such as the ability to present cases at a multidisciplinary meeting). This is furthermore true in the acute and emergency setting where collaboration with critical care and emergency medicine colleagues is common practice. The volume of reported cases required is also higher. In line with evolving trends, online case repositories or cases reviewed

during didactic teaching can also be submitted in part as evidence recognizing a move to more online education. In case there is no certified professional in the trainees' hospital, remote teaching is arranged to supervise the expansion of knowledge and competence.

To implement standardization in education and to provide valuable official output for practitioners, scientists, policymakers, and the public, EACVI also publishes several official documents each year, including recommendation papers, consensus statements, and position statements, which follow a thorough methodology and an extensive review process. While a patient-centred approach leads to the creation of multi-modality imaging recommendations, focus is also given to each distinct modality governed by the EACVI.

EACVI integrated training programme

At all levels, the need to integrate imaging is central to the entire programme of certification. This is not simply ensuring the optimal use of limited resources for cardiac diagnostic testing but also relates to the training of future cardiologists, integration with colleagues across the multi-professional team, and the focus on patient-centred care. The use of cardiac pathology to drive the overall shape and construction of each curriculum ensures consistency with the core cardiology curriculum (as opposed to a more modality-centred curriculum) and allows a trainee seamlessly to build on the core knowledge in each modality already attained. It facilitates concomitant training in multiple modalities, stressing the use of pathophysiology and disease processes to determine the optimal use of investigations and avoiding layered, multiple, and duplicate testing. Integration of cardiac imaging in the overall investigation and management of patients maintains the most patient-focused care. In more complex cases this approach cements the role of case discussion across the multi-professional team at clinical case conferences or multidisciplinary team meetings.




Figure 4 Number of levels 2 or 3 certified individuals across the four imaging modalities. CCT, cardiac computed tomography; CMR, cardiovascular magnetic resonance; Echo, echocardiography; Nuclear, nuclear cardiology. Levels 2 or 3 certification indicates individuals that have the competency to be part of an imaging service and provide and sign-off imaging reports independently. As CCT and Nuclear certification programmes are recent, there is a gap between expert reporters and having obtained certification—this gap is likely to close over the coming few years (data are shown as of 26 March 2023)

To further recognize the role of integrated multi-modality imaging the ESC is supporting a shift towards multi-modality imaging congresses with EACVI 2023 being the first such multi-modality congress. In May 2023 EACVI launched a multi-modality certification and continues this trend. Though initially, this will simply recognize an individual certified in two complementary imaging modalities this will evolve further in the future with the ever-increasing emphasis on disease and patient-focused care placing the emphasis on the imaging specialist with an in-depth understanding of all imaging modalities but a high level of expertise in two or more of them.

A new perspective on competency-based cardiac imaging supported by patients

A recent report by the European Society of Cardiovascular Radiology and European Society of Radiology on the status and vision of cardiac radiology in Europe emphasizes the need to increase cardiac imaging

expertise and capacity amongst radiologists. This report, however, fails to acknowledge the integral nature of cardiologists in cardiac imaging.¹⁷ We strongly disagree with the implied perspective that radiology alone is critical and always required for cardiac imaging and thus we do not endorse the content of this report. Furthermore, as already stated, there are multiple world-renowned imaging departments that are wholly Cardiology led, directed, and managed from inception and which continue to deliver cutting-edge clinical services, training, and academic outputs.

Cardiac imaging has evolved to become central to cardiovascular disease management and imaging investigations are frequently amongst the first investigations requested by clinicians. The central and expanding role of cardiac imaging to identify and risk stratify pathology and guide treatment will continue to evolve and develop in the coming years. Using a clearly defined competency framework these cardiac imaging standards equip cardiologists with the necessary expertise but can apply equally to all medical specialists, irrespective of previous experience, training, and specialty.

Finally, and importantly, the ultimate voice is that of our patient. In discussion with patients and the leadership of the ESC Patient Forum,




Figure 5 Number of level 3 certified individuals across imaging modalities. CCT, cardiac computed tomography; CMR, cardiovascular magnetic resonance. Level 3 certification indicates qualification and standards to be able to train the next generation of levels 2 and 3 certified physicians. Granular level data were not available for echo or nuclear modalities. Some countries do not have a level 3 certified individual, and the European Association of Cardiovascular Imaging is exploring ways of supporting the expansion of level 3 certified physicians to more countries. Data shown as of 26 March 2023

Table 3 Messages from patients and the leadership of the ESC Patient Forum regarding the delivery of cardiac imaging services

- Need for shared decision making about the imaging modalities (e.g. some modalities may be more intrusive).
- Need for dignity, privacy, and confidentiality (e.g. sharing of images via social media even if intended for educational purposes).
- Need for interruptions to be minimized, and conversations with other clinicians are not had over patients' heads.
- Need for timely access to high-quality cardiac imaging services within a reasonable geographical distance.
- Need to ensure competency of staff involved in providing cardiac services.
- Need for sensitive and clear communication of cardiac imaging findings and how they impact the management of the disease or condition.
- Appropriate sharing of data with patients with explanations that they are able to understand.

Table 4 Key messages about competency-based cardiac imaging

- Cardiovascular imaging is integral to Cardiology and Management of cardiovascular health and disease.
- Cardiologists have cardiovascular imaging core competencies.
- Cardiologists have expertise in complex cardiovascular physiology and treatment.
- Cardiologists have the expertise to optimize image acquisition according to clinical settings and needs.
- Cardiologists can be trained and assessed against the highest international standards within the ESC and EACVI portfolio in all non-invasive cardiovascular imaging modalities (echocardiography, cardiac computed tomography, cardiovascular magnetic resonance imaging, and nuclear cardiology).
- Cardiologists are committed to patient-centred care.
- ESC and EACVI and ESC Patient Forum are committed to competency-based cardiovascular imaging irrespective of speciality (such as cardiology, nuclear medicine, or radiology) and promote collaboration between specialities where desired and possible.

we captured key statements related to cardiac imaging (Table 3). Patients assign little importance to which modality or which speciality (cardiology, radiology, nuclear medicine, and critical care) provides the investigations. Patients just want to receive the best care possible. In the future, this will become more important as we use imaging to directly guide treatment and therapeutic decision making.

Digital innovations and competency-based cardiac imaging

Human experts and cardiac imaging competency will continue to be indispensable in the future, despite a fast-changing landscape impacting

cardiac imaging with innovations in digital health and artificial intelligence (AI). First, the development and iterative improvement of AI solutions in cardiac imaging using supervised learning requires expert image annotations. Second, human expert assessment of AI-enabled cardiac image segmentations will require competency. Undoubtedly, we will see many changes in cardiac imaging through digital innovation, but human competency will work hand in hand with AI-enabled solutions to provide better care to patients.

Conclusions

Imaging is integral to Cardiology. There is a major demand to increase capacity in expert cardiac imaging services and the frameworks devised,

developed, and implemented by the ESC and EACVI equip cardiologists to provide these services. EACVI promotes collaborative approaches to cardiac imaging between specialties where possible and desired. The main mission of EACVI is to promote and spread the appropriate use of cardiac imaging throughout all member countries. A professional barrier created around 'specialty-based' rather than 'competence-based' delivery of cardiac services (in particular for CCT and CMR) has been one of the major limiting factors for the wider use of fundamental diagnostic tests in many countries. To foster the efficient and effective use of cardiac imaging in modern cardiology, in some countries, legislation governing who can deliver imaging may need to be revisited. EACVI and the ESC support a competency-based cardiac imaging service delivery that will assure availability and optimal quality for the benefit of our patients ([Table 4](#) and [Graphical Abstract](#)).

Acknowledgements

This paper was developed by the European Society of Cardiology with special contribution from the European Association of Cardiovascular Imaging (EACVI) and was then endorsed by the European Society of Cardiology Associations: the Association of Cardiovascular Nursing & Allied Professions (ACNAP), the Association for Acute Cardiovascular Care (ACVC), the European Association of Preventive Cardiology (EAPC), the European Association of Percutaneous Cardiovascular Interventions (EAPCI), the European Heart Rhythm Association (EHRA), and the Heart Failure Association (HFA). The document was reviewed by the European Association of Cardiovascular Imaging (EACVI) Board and approved by the ESC Scientific Documents Committee. We are grateful to Celeste McCracken for her help in creating the figures containing certification data; Liliana Szabo for her help in creating the graphical abstract; and Matthieu Depuydt (European Society of Cardiology) for coordination support to the manuscript development.

Supplementary data

[Supplementary data](#) are not available at *European Heart Journal* online.

Declarations

Conflict of Interest

M.W. is the director and cofounder of MyocardiumAI and declares stock or stock options for the provision of core lab services in cardiac MRI. MyocardiumAI has partially funded Mark Westwood for support for attending meetings and/or travel [Society for Cardiovascular Magnetic Resonance (SCMR)] and [American College of Cardiology (ACC) Annual Meeting]. E.B. declares consulting fees from Microport and payment or honoraria for lectures, presentations, speakers bureaus, manuscript writing, or educational events from Abbott, Boston Scientific, and Insight Lifetech. V.D. declares payment or honoraria for lectures, presentations, speakers bureaus, manuscript writing, or educational events from Novo Nordisk (heart failure), Edwards Lifesciences (tricuspid valve). S.D. reports being the Chair of the Cardiac Magnetic Resonance Working Group of the Italian Society of Cardiology. L.G. declares personal consulting fees from Caption Health and personal payment or honoraria for lectures, presentations, speakers bureaus, manuscript writing, or educational events from EchoNous, Philips Healthcare, GE Healthcare. P.M.-H. declares shares from Neumann Medical Ltd. J.L.M. declares grants or contracts through his institution from Abbott and Medtronic; personal consulting fees from Medtronic and Sanofi; personal payment or

honoraria for lectures, presentations, speakers bureaus, manuscript writing or educational events from Biotronik, Microport, Milestone Pharmaceutical, and Zoll. R.M. declares payment for expert testimony through the British charity CardiomyopathyUK; no payments (hotel, flights, meals) for attending meetings and/or travel from the ESC (Patient representative) and More-EUROPA (Horizon funded, HORIZON-HLTH-2022-TOOL-11-02) (Patient on Advisory Board). L.N. reports grants or contracts through her institution from Daiichi Sankyo; under 1000 USD personal honoraria from Pfizer-BMS. R.N. reports an unrestricted research grant from Philips Volcano and Biotronik, one-time personal consulting fee from Sanofi Genzyme; a speakers fee from Sanofi Genzyme and BMS; being Vice-Chair of EACVI (CMR Section Chair). M.P. reports research grants through his institution from the charity 'Cardiac Risk in the Young'; 5000 GBP consulting fees from Bristol Myers Squibb; being the president of the EAPC and being a Board member of the ESC. G.P. reports grants or contracts from GE Healthcare, Bracco, Heartflow; consulting fees from GE Healthcare, Heartflow; payment or honoraria for lectures, presentations, speakers bureaus, manuscript writing or educational events from GE Healthcare, Heartflow; support for attending meetings and/or travel from GE Healthcare, Heartflow. S.P. is a volunteer for the ESC Board (member); for the European Heart Journal (deputy editor); and the ESC Education Committee (Chair). G.M.C.R. declares grants or contracts from the Ricerca Finalizzata Ministero della Salute, Italy; supports for attending meetings and/or travel from Menarini, AstraZeneca, Bayer, Servier, Vifor; being the president of the HFA. A.R. declares being a member of the Task Force ESC-Fleischner Society for pulmonary embolism, of the Working Group EuroHeart Outcome Data Standards development; of the 2022–24 EACVI: Councillor of Nuclear and Cardiac CT Section, Deputy chair of the 'Certification Cardiac CT Sub-committee', Deputy chair of the 'Research & Innovation Committee'; Member of the 'Scientific Documents Committee', of the 2022–24 Committee of the Società Italiana di Ecocardiografia e Imaging Cardiovascolare: 'Imaging cardiovascolare integrato complesso.' J.S.-M. is the Deputy Chair, EACVI Industry Round Table Committee and past president of SCMR, CAB SCMR. S.E.P. declares consulting fees from Circle Cardiovascular Imaging, Inc., Calgary, Canada; Support for attending meetings and/or travel from the ESC; is the president of EACVI, an ESC Board member, a member of the Advocacy Committee of the Society for Cardiovascular Magnetic Resonance: Member. A.G.A., K.F.F., K.H., D.M., L.E.S., F.W., and S.A. declares no conflict of interest for this contribution.

Data Availability

The data underlying this article will be shared on reasonable request to the corresponding author.

Funding

No funding was received for this paper.

Ethical Approval

Ethical approval was not required.

Pre-registered Clinical Trial Number

Not applicable.

References

1. Cuocolo R, Ponsiglione A, Dell'Aversana S, D'Acerno L, Lassandro G, Ugga L, et al. The cardiac conundrum: a systematic review and bibliometric analysis of authorship in

- cardiac magnetic resonance imaging studies. *Insights Imaging* 2020;**11**:42. <https://doi.org/10.1186/s13244-020-00850-1>
2. Maron DJ, Hochman JS, Reynolds HR, Bangalore S, O'Brien SM, Boden WE, et al. Initial invasive or conservative strategy for stable coronary disease. *N Engl J Med* 2020;**382**: 1395–407. <https://doi.org/10.1056/NEJMoa1915922>
 3. SCOT-HEART Investigators; Newby DE, Adamson PD, Berry C, Boon NA, Dweck MR, et al. Coronary CT angiography and 5-year risk of myocardial infarction. *N Engl J Med* 2018;**379**:924–33. <https://doi.org/10.1056/NEJMoa1805971>
 4. Nagel E, Greenwood JP, McCann GP, Bettencourt N, Shah AM, Hussain ST, et al. Magnetic resonance perfusion or fractional flow reserve in coronary disease. *N Engl J Med* 2019;**380**:2418–28. <https://doi.org/10.1056/NEJMoa1716734>
 5. DISCHARGE Trial Group; Maurovich-Horvat P, Bossert M, Kofoed KF, Rieckmann N, Benedek T, et al. CT Or invasive coronary angiography in stable chest pain. *N Engl J Med* 2022;**386**:1591–602. <https://doi.org/10.1056/NEJMoa2200963>
 6. Petersen SE, Friebe R, Ferrari V, Han Y, Aung N, Kenawy A, et al. Recent trends and potential drivers of non-invasive cardiovascular imaging use in the United States of America and England. *Front Cardiovasc Med* 2020;**7**:617771. <https://doi.org/10.3389/fcvm.2020.617771>
 7. Timmis A, Townsend N, Gale CP, Torbica A, Lettino M, Petersen SE, et al. European Society of Cardiology: cardiovascular disease statistics 2019. *Eur Heart J* 2020;**41**: 12–85. <https://doi.org/10.1093/eurheartj/ehz859>
 8. Cosyns B, Garbi M, Separovic J, Pasquet A, Lancellotti P; Education Committee of the European Association of Cardiovascular Imaging Association (EACVI). Update of the echocardiography core syllabus of the European Association of Cardiovascular Imaging (EACVI). *Eur Heart J Cardiovasc Imaging* 2013;**14**:837–9. <https://doi.org/10.1093/ehjci/jeu140>
 9. Petersen SE, Almeida AG, Alpendurada F, Boubertakh R, Bucciarelli-Ducci C, Cosyns B, et al. Update of the European Association of Cardiovascular Imaging (EACVI) core syllabus for the European cardiovascular magnetic resonance certification exam. *Eur Heart J Cardiovasc Imaging* 2014;**15**:728–9. <https://doi.org/10.1093/ehjci/jeu076>
 10. Gimelli A, Neglia D, Schindler TH, Cosyns B, Lancellotti P, Kitsiou A. Nuclear cardiology core syllabus of the European Association of Cardiovascular Imaging (EACVI). *Eur Heart J Cardiovasc Imaging* 2015;**16**:349–50. <https://doi.org/10.1093/ehjci/jeu297>
 11. Nieman K, Achenbach S, Pugliese F, Cosyns B, Lancellotti P, Kitsiou A. Cardiac computed tomography core syllabus of the European Association of Cardiovascular Imaging (EACVI). *Eur Heart J Cardiovasc Imaging* 2015;**16**:351–2. <https://doi.org/10.1093/ehjci/jeu298>
 12. Fox K, Achenbach S, Bax J, Cosyns B, Delgado V, Dweck MR, et al. Multimodality imaging in cardiology: a statement on behalf of the task force on multimodality imaging of the European Association of Cardiovascular Imaging. *Eur Heart J* 2019;**40**:553–8. <https://doi.org/10.1093/eurheartj/ehy669>
 13. Oues G, Plummer C, Hall J, Lawson C, Price S, Smith R, et al. How to succeed in the EECG: a guide for trainees and their trainers. *Heart* 2019;**105**:1044–5. <https://doi.org/10.1136/heartjnl-2018-314496>
 14. Plummer C, Bowater S, Hall J, Lawson C, Oues G, Price S, et al. Behind the scenes of the European examination in general cardiology. *Heart* 2019;**105**:889–90. <https://doi.org/10.1136/heartjnl-2018-314495>
 15. Tanner FC, Brooks N, Fox KF, Gonçalves L, Kearney P, Michalis L, et al. ESC core curriculum for the cardiologist. *Eur Heart J* 2020;**41**:3605–92. <https://doi.org/10.1093/eurheartj/ehaa641>
 16. Yong E, Manoharan K, Gent D. The European examination in core cardiology in focus: evaluation and recommendations using educational theory. *J Eur CME* 2022;**11**: 2055266. <https://doi.org/10.1080/21614083.2022.2055266>
 17. Natale L, Vliegthart R, Salgado R, Bremerich J, Budde RPJ, Dacher JN, et al. Cardiac radiology in Europe: status and vision by the European Society of Cardiovascular Radiology (ESCR) and the European Society of Radiology (ESR). *Eur Radiol* 2023;**33**: 5489–97. <https://doi.org/10.1007/s00330-023-09533-z>

Correction

<https://doi.org/10.1093/eurheartj/ehad625>

Online publish-ahead-of-print 20 September 2023

Correction to: 2023 ESC Guidelines for the management of endocarditis: Developed by the task force on the management of endocarditis of the European Society of Cardiology (ESC) *Endorsed by the European Association for Cardio-Thoracic Surgery (EACTS) and the European Association of Nuclear Medicine (EANM)*

This is a correction to: Victoria Delgado, Nina Ajmone Marsan, Suzanne de Waha, Nikolaos Bonaros, Margarita Brida, Haran Burri, Stefano Caselli, Torsten Doenst, Stephane Ederhy, Paola Anna Erba, Dan Foldager, Emil L Fosbøl, Jan Kovac, Carlos A Mestres, Owen I Miller, Jose M Miro, Michal Pazdernik, Maria Nazarena Pizzi, Eduard Quintana, Trine Bernholdt Rasmussen, Arsen D Ristić, Josep Rodés-Cabau, Alessandro Sionis, Liesl Joanna Zühlke, Michael A Borger, ESC Scientific Document Group, 2023 ESC Guidelines for the management of endocarditis: Developed by the task force on the management of endocarditis of the European Society of Cardiology (ESC) *Endorsed by the European Association for Cardio-Thoracic Surgery (EACTS) and the European Association of Nuclear Medicine (EANM), European Heart Journal*, 2023; ehad193, <https://doi.org/10.1093/eurheartj/ehad193>

In Recommendation Table 7, under the heading '**Oral streptococci and Streptococcus gallolyticus group susceptible, increased exposure or resistant to penicillin**', the information regarding 'Adult antibiotic dosage and route' for Amoxicillin has been corrected.

In Recommendation Table 8, under the headings '**IE caused by methicillin-susceptible staphylococci**' and '**Allergy to beta-lactams**', the information regarding 'Paediatric antibiotic dosage and route' for Cefazolin has been corrected.

In Table 14, under the heading '**Oral streptococci and Streptococcus gallolyticus group susceptible, increased exposure or resistant to penicillin**', the information regarding 'Adult antibiotic dosage and route' for Amoxicillin has been corrected, and under the heading '**IE caused by methicillin-susceptible staphylococci**', the information regarding 'Paediatric antibiotic dosage and route' for Cefazolin has been corrected.

Finally, in the supplementary data file entitled 'ehad193_supplementary_data.pdf', Table S6 has been updated.